Index of Papers Published in 1985

Author Index

A

Abou-Kassem, J.H. and Aziz, K.: *Analytical Well Models for Reservoir Simulation*, (Tech. Paper SPE11719) SPEJ Aug., 85 573-579

Acs, G. *et al.*: *General Purpose Compositional Model*, (Tech. Paper SPE10515) SPEJ Aug., 85 543-553

Aflaki, R. and Ershaghi, I.: *Problems in Characterization of Naturally Fractured Reservoirs From Well Test Data*, (Tech. Paper SPE12014) SPEJ June, 85 445-450

Al-Umran, S.A. *et al.*: *Application of a Reservoir Simulator Interfaced With a Surface Facility Network: A Case History*, (Tech. Paper SPE11479) SPEJ June, 85 397-404

Allen, M. B. and Pinder, G. F.: *The Convergence of Upstream Collocation in the Buckley-Leverett Problem*, (Tech. Paper SPE10978) SPEJ June, 85 363-370

Allen, M.B.: *Author's Reply to Discussion of the Convergence of Upstream Collocation in the Buckley-Leverett Problem*, (Rebuttal SPE14970) SPEJ Dec., 85 944

Alston, R.B. *et al.*: *CO2 Minimum Miscibility Pressure: A Correlation for Impure CO2 Streams and Live Oil Systems*, (Tech. Paper SPE11959) SPEJ Apr., 85 268-274

Auerbach, M.H. *et al.*: *A High-Pyruvate Xanthan for EOR*, (Tech. Paper SPE10617) SPEJ Aug., 85 594-602

Aziz, K. and Abou-Kassem, J.H.: *Analytical Well Models for Reservoir Simulation*, (Tech. Paper SPE11719) SPEJ Aug., 85 573-579

B

Bartlett, G.W. *et al.*: *Prediction of In-Situ Combustion Process Variables By Use of TGA/DSC Techniques and the Effect of Sand-Grain Specific Surface Area on the Process*, (Tech. Paper SPE11072) SPEJ Oct., 85 656-664

Baumgartner, S.A. *et al.*: *Chemical Evolution of a High-Temperature Fracturing Fluid*, (Tech. Paper SPE11794) SPEJ Oct., 85 623-628

Behie, A. *et al.*: *Fully Coupled Multiblock Wells in Oil Simulation*, (Tech. Paper SPE11877) SPEJ Aug., 85 535-542

Bennett, C.O. *et al.*: *Approximate Solutions for Fractured Wells Producing Layered Reservoirs*, (Tech. Paper SPE11599) SPEJ Oct., 85 729-742

Bentsen, R.G.: *A New Approach to Instability Theory in Porous Media*, (Tech. Paper SPE12725) SPEJ Oct., 85 765-779

Bia, P.R. *et al.*: *The 'Checker Model,' An Improvement in Modeling Naturally Fractured Reservoirs With a Tridimensional, Triphasic, Black-Oil Model*, (Tech. Paper SPE10977) SPEJ Oct., 85 743-756

Black, A.D. *et al.*: *Effects of Size on Three-Cone Bit Performance in Laboratory Drilled Shale*, (Tech. Paper SPE11231) SPEJ Aug., 85 473-481

Blakeley, M.R. *et al.*: *Fluid and Heat Flow in Gas-Rich Geothermal Reservoirs*, (Tech. Paper SPE12102) SPEJ Apr., 85 215-226

Blank, L.S. *et al.*: *Application of a Reservoir Simulator Interfaced With a Surface Facility Network: A Case History*, (Tech. Paper SPE11479) SPEJ June, 85 397-404

Bodvarsson, G.S. *et al.*: *Fluid and Heat Flow in Gas-Rich Geothermal Reservoirs*, (Tech. Paper SPE12102) SPEJ Apr., 85 215-226

Bodvarsson, G.S. *et al.*: *Injection and Energy Recovery in Fractured Geothermal Reservoirs*, (Tech. Paper SPE11689) SPEJ Apr., 85 303-312

Bossie-Codreanu, D. *et al.*: *The 'Checker Model,' An Improvement in Modeling Naturally Fractured Reservoirs With a Tridimensional, Triphasic, Black-Oil Model*, (Tech. Paper SPE10977) SPEJ Oct., 85 743-756

Brady, J.L. *et al.*: *Factors Contributing to the Ability of Acrolein To Scavenge Corrosive Hydrogen Sulfide*, (Tech. Paper SPE11749) SPEJ Oct., 85 647-655

Braester, C.: *Discussion of the Convergence of Upstream Collocation in the Buckley-Leverett Problem*, (Discussion SPE14810) SPEJ Dec., 85 943

Breaux, E.J. *et al.*: *Application of a Reservoir Simulator Interfaced With a Surface Facility Network: A Case History*, (Tech. Paper SPE11479) SPEJ June, 85 397-404

Bremer, R.E. *et al.*: *Analytical Model for Vertical Interference Tests Across Low-Permeability Zones*, (Tech. Paper SPE11965) SPEJ June, 85 407-418

Brower, K.R. and Morrow, N.R.: *Fluid Flow in Cracks as Related to Low-Permeability Gas Sands*, (Tech. Paper SPE11623) SPEJ Apr., 85 191-201

Buchanan, W.L. and Rubin, B.: *A General Purpose Thermal Model*, (Tech. Paper SPE11713) SPEJ Apr., 85 202-214

Bunge, A.L. and Radke, C.J.: *The Origin of Reversible Hydroxide Uptake on Reservoir Rock*, (Tech. Paper SPE11798) SPEJ Oct., 85 711-718

C

Callaghan, I. C. *et al.*: *Identification of Crude Oil Components Responsible for Foaming*, (Tech. Paper SPE12342) SPEJ Apr., 85 171-175

Callanan, M.J. *et al.*: *An Improved Method for Measuring Fluid Loss at Simulated Fracture Conditions*, (Tech. Paper SPE10259) SPEJ Aug., 85 482-490

Camacho-V., R. *et al.*: *Approximate Solutions for Fractured Wells Producing Layered Reservoirs*, (Tech. Paper SPE11599) SPEJ Oct., 85 729-742

Campbell, B.T. and Orr Jr., F.M.: *Flow Visualization for CO2/Crude-Oil Displacements*, (Tech. Paper SPE11958) SPEJ Oct., 85 665-678

Card, R. *et al.*: *Direct Thickeners for Mobility Control of CO2 Floods*, (Tech. Paper SPE11789) SPEJ Oct., 85 679-686

Carmona, I. *et al.*: *Ethoxylated Oleyl Sulfonates as Model Compounds for Enhanced Oil Recovery*, (Tech. Paper SPE11771) SPEJ June, 85 351-357

Carter, R.D.: *Type Curves for Finite Radial and Linear Gas Flow Systems: Constant-Terminal-Pressure Case*, (Tech. Paper SPE12917) SPEJ Oct., 85 719-728

Chan, A.F. and Kremesec Jr., V.J.: *Cation Exchange in Porous Media With Broad-Equivalent-Weight Sulfonate Micellar Fluids*, (Tech. Paper SPE12126) SPEJ Aug., 85 580-586

Chase, C.A. and Todd, M.R.: *Authors' Reply to Discussion of Numerical Simulation of CO2 Performance*, (Rebuttal SPE13964) SPEJ Apr., 85 280

Chen, C.C. *et al.*: *Pressure Transient Analysis Methods for Bounded Naturally Fractured Reservoirs*, (Tech. Paper SPE11243) SPEJ June, 85 451-464

Chirlin, G. R.: *Flow Through a Porous Medium With Periodic Barriers or Fractures*, (Tech. Paper SPE11595) SPEJ June, 85 358-362

Clark, P.E. and Cloud, J.E.: *Alternatives to the Power-Law Fluid Model for Crosslinked Fluids*, (Tech. Paper SPE9332) SPEJ Dec., 85 935-942

Cloud, J.E. and Clark, P.E.: *Alternatives to the Power-Law Fluid Model for Crosslinked Fluids*, (Tech. Paper SPE9332) SPEJ Dec., 85 935-942

Collins, D. *et al.*: *Fully Coupled Multiblock Wells in Oil Simulation*, (Tech. Paper SPE11877) SPEJ Aug., 85 535-542

Collins, H.N. and Wang, S.T.: *Discussion of the Effect of Crossflow on Waterflooding of Stratified Reservoirs*, (Discussion SPE14490) SPEJ Aug., 85 614

Culham, W.E. *et al.*: *Curvilinear Coordinate Systems for Reservoir Simulation*, (Tech. Paper SPE12253) SPEJ Dec., 85 893-901

Cutler, R.A. *et al.*: *Fracture Conductivity Comparison of Ceramic Proppants*, (Tech. Paper SPE11634) SPEJ Apr., 85 157-170

D

Dandge, D.K. *et al.*: *Direct Thickeners for Mobility Control of CO2 Floods*, (Tech. Paper SPE11789) SPEJ Oct., 85 679-686

Davis, H. T. *et al.*: *Thermodynamic Modeling of Quaternary Systems: Oil/Brine/Surfactant/Alcohol*, (Tech. Paper SPE11209) SPEJ June, 85 330-342

Davis, H.T. *et al.*: *Thermodynamic Modeling of Phase and Tension Behavior of CO2/Hydrocarbon Systems*, (Tech. Paper SPE10268) SPEJ Apr., 85 235-254

de Vries, A. S. and Schulte, W.M.: *In-Situ Combustion in Naturally Fractured Heavy-Oil Reservoirs*, (Tech. Paper SPE10723) SPEJ Feb., 85 67-77

Delshad, M. *et al.*: *Multiphase Dispersion and Relative Permeability Experiments*, (Tech. Paper SPE10201) SPEJ Aug., 85 524-534

Deysarkar, A.K. *et al.*: *An Improved Method for Measuring Fluid Loss at Simulated Fracture Conditions*, (Tech. Paper SPE10259) SPEJ Aug., 85 482-490

di Franco, R. B. *et al.*: *Reduction of Grid-Orientation Effects in Reservoir Simulation With Generalized Upstream Weighting*, (Tech. Paper SPE11593) SPEJ Dec., 85 902-908

DiBona, B.G. *et al.*: *Effects of Size on Three-Cone Bit Performance in Laboratory Drilled Shale*, (Tech. Paper SPE11231) SPEJ Aug., 85 473-481

Dietzel, H.J. and Pusch, G.: *Laboratory Investigations of the Dynamic Stability of Polymer Slugs*, (Tech. Paper SPE10614) SPEJ Feb., 85 9-13

Doleschall, S. *et al.*: *General Purpose Compositional Model*, (Tech. Paper SPE10515) SPEJ Aug., 85 543-553

Donaruma, L.G. *et al.*: *Direct Thickeners for Mobility Control of CO2 Floods*, (Tech. Paper SPE11789) SPEJ Oct., 85 679-686

Doty, D.R. *et al.*: *Severe Slugging in Offshore Pipeline Riser-Pipe Systems*, (Tech. Paper SPE12334) SPEJ Feb., 85 27-38

Dunand, A. and Guillot, D.: *Rheological Characterization of Fracturing Fluids by Using Laser Anemometry*, (Tech. Paper SPE12030) SPEJ Feb., 85 39-45

Dutta-Roy, K. *et al.*: *Severe Slugging in Offshore Pipeline Riser-Pipe Systems*, (Tech. Paper SPE12334) SPEJ Feb., 85 27-38

E

Economides, M.J. and Ehlig-Economides, C.: *Pressure Transient Analysis in an Elongated Linear Flow System*, (Tech. Paper SPE12520) SPEJ Dec., 85 839-847

Ehlig-Economides, C. and Economides, M.J.: *Pressure Transient Analysis in an Elongated Linear Flow System*, (Tech. Paper SPE12520) SPEJ Dec., 85 839-847

El-Khatib, N.: *The Effect of Crossflow on Waterflooding of Stratified Reservoirs*, (Tech. Paper SPE11495) SPEJ Apr., 85 291-302

El-Khatib, N.: *Author's Reply to Discussion of The Effect of Crossflow on Waterflooding of Stratified Reservoirs*, (Rebuttal SPE14692) SPEJ Aug., 85 614

Ellis, D. *et al.*: *Litho-Density Tool Calibration*, (Tech. Paper SPE12048) SPEJ Aug., 85 515-520

Enniss, D.O. *et al.*: *Fracture Conductivity Comparison of Ceramic Proppants*, (Tech. Paper SPE11634) SPEJ Apr., 85 157-170

Ershaghi, I. and Aflaki, R.: *Problems in Characterization of Naturally Fractured Reservoirs From Well Test Data*, (Tech. Paper SPE12014) SPEJ June, 85 445-450

F

Fahy, L. J. *et al.*: *Numerical Simulation of Combined Reverse Combustion and Steamflooding for Oil Recovery in a Utah Tar Sand*, (Tech. Paper SPE11159) SPEJ Apr., 85 227-234

Fanchi, J. R.: *Analytical Representation of the van Everdingen-Hurst Aquifer Influence Functions for Reservoir Simulation*, (Tech. Paper SPE12565) SPEJ June, 85 405-406

Farkas, E. *et al.*: *General Purpose Compositional Model*, (Tech. Paper SPE10515) SPEJ Aug., 85 543-553

Flaum, C. *et al.*: *Litho-Density Tool Calibration*, (Tech. Paper SPE12048) SPEJ Aug., 85 515-520

Forsyth Jr., P.A. *et al.*: *Fully Coupled Multiblock Wells in Oil Simulation*, (Tech. Paper SPE11877) SPEJ Aug., 85 535-542

Forsyth Jr., P.A. and Sammon, P.H.: *Discussion of Numerical Simulation of CO2 Flood Performance*, (Discussion SPE13950) SPEJ Apr., 85 280

Frauenthal, J.C. *et al.*: *Reduction of Grid-Orientation Effects in Reservoir Simulation With Generalized Upstream Weighting*, (Tech. Paper SPE11593) SPEJ Dec., 85 902-908

G

Geertsma, J.: *Some Rock-Mechanical Aspects of Oil and Gas Well Completions*, (Tech. Paper SPE8073) SPEJ Dec., 85 848-856

Gerard, M. and Horne, R.N.: *Effects of External Boundaries on the Recognition of Reservoir Pinchout Boundaries by Pressure Transient Analysis*, (Tech. Paper SPE11141) SPEJ June, 85 427-436

Gilreath, J.A. *et al.*: *Cerro Prieto Case History: Use of Wireline Logs To Characterize a Geothermal Reservoir*, (Tech. Paper SPE12739) SPEJ Dec., 85 793-803

Glaso, O.: *Generalized Minimum Miscibility Pressure Correlation*, (Tech. Paper SPE12893) SPEJ Dec., 85 927-934

Glowka, D.A. and Stone, C.M.: *Thermal Response of Polycrystalline Diamond Compact Cutters Under Simulated Downhole Conditions*, (Tech. Paper SPE11947) SPEJ Apr., 85 143-156

Gonzalez, J. A. and Perkins, T. K.: *The Effect of Thermoelastic Stresses on Injection Well Fracturing*, (Tech. Paper SPE11332) SPEJ Feb., 85 78-88

Gottry, N. *et al.*: *Factors Contributing to the Ability of Acrolein To Scavenge Corrosive Hydrogen Sulfide*, (Tech. Paper SPE11749) SPEJ Oct., 85 647-655

Guillot, D. and Dunand, A.: *Rheological Characterization of Fracturing Fluids by Using Laser Anemometry*, (Tech. Paper SPE12030) SPEJ Feb., 85 39-45

H

Halfman, S.E. *et al.*: *Cerro Prieto Case History: Use of Wireline Logs To Characterize a Geothermal Reservoir*, (Tech. Paper SPE12739) SPEJ Dec., 85 793-803

Hanna, H.S. and Somasundaran, P.: *Adsorption/Desorption of Sulfonates by Reservoir Rock Minerals in Solutions of Varying Sulfonate Concentrations*, (Tech. Paper SPE10603) SPEJ June, 85 343-350

Hasan, A.R. and Kabir, C.S.: *Determining Bottomhole Pressures in Pumping Wells*, (Tech. Paper SPE11580) SPEJ Dec., 85 823-838

Heller, J.P. *et al.*: *Direct Thickeners for Mobility Control of CO2 Floods*, (Tech. Paper SPE11789) SPEJ Oct., 85 679-686

Heller, J.P. *et al.*: *Foamlike Dispersions for Mobility Control in CO2 Floods*, (Tech. Paper SPE11233) SPEJ Aug., 85 603-613

Hirasaki, G.J. and Lawsön, J.B.: *Mechanisms of Foam Flow in Porous Media: Apparent Viscosity in Smooth Capillaries*, (Tech. Paper SPE12129) SPEJ Apr., 85 176-190

Horne, R. N. and Sageev, A.: *Interference Between Constant-Rate and Constant-Pressure Reservoirs Sharing a Common Aquifer*, (Tech. Paper SPE12711) SPEJ June, 85 419-426

Horne, R.N. and Gerard, M.: *Effects of External Boundaries on the Recognition of Reservoir Pinchout Boundaries by Pressure Transient Analysis*, (Tech. Paper SPE11141) SPEJ June, 85 427-436

Horne, R.N.: *The Fenske Conservation Method for Pressure Transient Solutions With Storage*, (Tech. Paper SPE12133) SPEJ June, 85 437-444

J

James, C.F. *et al.*: *CO2 Minimum Miscibility Pressure: A Correlation for Impure CO2 Streams and Live Oil Systems*, (Tech. Paper SPE11959) SPEJ Apr., 85 268-274

Johnson, W. F. *et al.*: *In-Situ Leaching of Crownpoint, New Mexico, Uranium Ore: Part 4—Laboratory Study of Strong Leaching Systems: Oxidant/Sulfuric Acid*, (Tech. Paper SPE11437) SPEJ Dec., 85 881-885

Johnson, W. F. *et al.*: *In-Situ Leaching of Crownpoint, New Mexico, Uranium Ore: Part 3— Laboratory Study of Strong Leaching Systems: Sodium Hypochlorite*, (Tech. Paper SPE11436) SPEJ Dec., 85 875-880

Jones, A.H. *et al.*: *Fracture Conductivity Comparison of Ceramic Proppants*, (Tech. Paper SPE11634) SPEJ Apr., 85 157-170

Jones, S.C.: *Some Surprises in the Transport of Miscible Fluids in the Presence of a Second Immiscible Phase*, (Tech. Paper SPE12125) SPEJ Feb., 85 101-112

Joseph, J. A. and Koederitz, L. F.: *Unsteady-State Spherical Flow With Storage and Skin*, (Tech. Paper SPE12950) SPEJ Dec., 85 804-822

K

Kabir, C.S. and Hasan, A.R.: *Determining Bottomhole Pressures in Pumping Wells*, (Tech. Paper SPE11580) SPEJ Dec., 85 823-838

Kerig, P.D. *et al.*: *A Test for Detecting Rock Property Nonuniformities in Core Samples*, (Tech. Paper SPE12585) SPEJ Dec., 85 909-916

Kilpatrick, P.K. *et al.*: *Thermodynamic Modeling of Quaternary Systems: Oil/Brine/Surfactant/Alcohol*, (Tech. Paper SPE11209) SPEJ June, 85 330-342

Kissel, C.L. *et al.*: *Factors Contributing to the Ability of Acrolein To Scavenge Corrosive Hydrogen Sulfide*, (Tech. Paper SPE11749) SPEJ Oct., 85 647-655

Klein, M.H. *et al.*: *Curvilinear Coordinate Systems for Reservoir Simulation*, (Tech. Paper SPE12253) SPEJ Dec., 85 893-901

Koederitz, L. F. and Joseph, J. A.: *Unsteady-State Spherical Flow With Storage and Skin*, (Tech. Paper SPE12950) SPEJ Dec., 85 804-822

Kohlhaas, C.A. *et al.*: *An Improved Method for Measuring Fluid Loss at Simulated Fracture Conditions*, (Tech. Paper SPE10259) SPEJ Aug., 85 482-490

Kokolis, G.P. *et al.*: *CO2 Minimum Miscibility Pressure: A Correlation for Impure CO2 Streams and Live Oil Systems*, (Tech. Paper SPE11959) SPEJ Apr., 85 268-274

Koplik, J. and Lasseter, T.J.: *Two-Phase Flow in Random Network Models of Porous Media*, (Tech. Paper SPE11014) SPEJ Feb., 85 89-100

Kortekaas, T.F.M.: *Water/Oil Displacement Characteristics in Crossbedded Reservoir Zones*, (Tech. Paper SPE12112) SPEJ Dec., 85 917-926

Kremesec Jr., V.J. and Chan, A.F.: *Cation Exchange in Porous Media With Broad-Equivalent-Weight Sulfonate Micellar Fluids*, (Tech. Paper SPE12126) SPEJ Aug., 85 580-586

Kuehne, D.L. and Shaw, D.W.: *Manual and Automated Turbidimetric Methods for the Determination of Polyacrylamides in the Presence of Sulfonates*, (Tech. Paper SPE11784) SPEJ Oct., 85 687-692

Kuntamukkula, M.S. *et al.*: *Foamlike Dispersions for Mobility Control in CO2 Floods*, (Tech. Paper SPE11233) SPEJ Aug., 85 603-613

L

LaGrone, C.C. *et al.*: *Chemical Evolution of a High-Temperature Fracturing Fluid*, (Tech. Paper SPE11794) SPEJ Oct., 85 623-628

Lane, C.M. *et al.*: *Determination of Interstitial Chloride in Shales and Consolidated Rocks by a Precision Leaching Technique*, (Tech. Paper SPE12724) SPEJ Oct., 85 704-710

Larsen, L.: *A Simple Approach to Pressure Distributions in Geometric Shapes*, (Tech. Paper SPE10088) SPEJ Feb., 85 113-120

Lasaki, G.O. *et al.*: *Numerical Simulation of Combined Reverse Combustion and Steamflooding for Oil Recovery in a Utah Tar Sand*, (Tech. Paper SPE11159) SPEJ Apr., 85 227-234

Lasseter, T.J. and Koplik, J.: *Two-Phase Flow in Random Network Models of Porous Media*, (Tech. Paper SPE11014) SPEJ Feb., 85 89-100

Lawson, J.B. and Hirasaki, G.J.: *Mechanisms of Foam Flow in Porous Media: Apparent Viscosity in Smooth Capillaries*, (Tech. Paper SPE12129) SPEJ Apr., 85 176-190

Leventhal, S.H. *et al.*: *Curvilinear Coordinate Systems for Reservoir Simulation*, (Tech. Paper SPE12253) SPEJ Dec., 85 893-901

Levesque, J.M.: *Reservoir Simulation on Supercomputers*, (Tech. Paper SPE10520) SPEJ Apr., 85 275-279

Lien, C.L. *et al.*: *Foamlike Dispersions for Mobility Control in CO2 Floods*, (Tech. Paper SPE11233) SPEJ Aug., 85 603-613

Lieu, V. T. *et al.*: *A Laboratory Study of Chemical Reactions With Reservoir Sand in the Recovery of Petroleum by Alkaline Flooding*, (Tech. Paper SPE12561) SPEJ Aug., 85 587-593

Lippmann, M.J. *et al.*: *Cerro Prieto Case History: Use of Wireline Logs To Characterize a Geothermal Reservoir*, (Tech. Paper SPE12739) SPEJ Dec., 85 793-803

Lu, C. and Yew, C. H.: *Bonded Half-Planes Containing Two Arbitrarily Oriented Cracks: A Study of Containment of Hydraulically Induced Fractures*, (Tech. Paper SPE11871) SPEJ Feb., 85 55-66

M

Ma, D. and Yang, S.: *Kinematics of the Cone Bit*, (Tech. Paper SPE10563) SPEJ June, 85 321-329

MacAllister, D.J. *et al.*: *Multiphase Dispersion and Relative Permeability Experiments*, (Tech. Paper SPE10201) SPEJ Aug., 85 524-534

Manheim, F.T. *et al.*: *Determination of Interstitial Chloride in Shales and Consolidated Rocks by a Precision Leaching Technique*, (Tech. Paper SPE12724) SPEJ Oct., 85 704-710

Marienbach, E. *et al.*: *Litho-Density Tool Calibration*, (Tech. Paper SPE12048) SPEJ Aug., 85 515-520

Martel, R. *et al.*: *Numerical Simulation of Combined Reverse Combustion and Steamflooding for Oil Recovery in a Utah Tar Sand*, (Tech. Paper SPE11159) SPEJ Apr., 85 227-234

McDaniel, R.R. *et al.*: *An Improved Method for Measuring Fluid Loss at Simulated Fracture Conditions*, (Tech. Paper SPE10259) SPEJ Aug., 85 482-490

McKechnie, A. L. *et al.*: *Identification of Crude Oil Components Responsible for Foaming*, (Tech. Paper SPE12342) SPEJ Apr., 85 171-175

Meshishnek, M.J. *et al.*: *Factors Contributing to the Ability of Acrolein To Scavenge Corrosive Hydrogen Sulfide*, (Tech. Paper SPE11749) SPEJ Oct., 85 647-655

Miller, C. A. and Mui, K. C.: *Stability of Displacement Fronts in Porous Media—Growth of Large Elliptical Fingers*, (Tech. Paper SPE11542) SPEJ Apr., 85 255-267

Miller, J.W. *et al.*: *A High-Pyruvate Xanthan for EOR*, (Tech. Paper SPE10617) SPEJ Aug., 85 594-602

Miller, M.A. and Ramey Jr., H.J.: *Effect of Temperature on Oil/Water Relative Permeabilities of Unconsolidated and Consolidated Sands*, (Tech. Paper SPE12116) SPEJ Dec., 85 945-953

Miller, S. *et al.*: *A Laboratory Study of Chemical Reactions With Reservoir Sand in the Recovery of Petroleum by Alkaline Flooding*, (Tech. Paper SPE12561) SPEJ Aug., 85 587-593

Miller, S. G. *et al.*: *A Laboratory Study of Chemical Reactions With Reservoir Sand in the Recovery of Petroleum by Alkaline Flooding*, (Tech. Paper SPE12561) SPEJ Aug., 85 587-593

Mohsen, M.F.N.: *Modification of Welge's Method of Shock Front Location in Buckley-Leverett Problem for Nonzero Initial Condition*, (Tech. Paper SPE12231) SPEJ Aug., 85 521-523

Monger, T.G.: *The Impact of Oil Aromaticity on CO2 Flooding*, (Tech. Paper SPE12708) SPEJ Dec., 85 865-874

Monroe, S.A. *et al.*: *Application of a Reservoir Simulator Interfaced With a Surface Facility Network: A Case History*, (Tech. Paper SPE11479) SPEJ June, 85 397-404

Morrow, N.R. and Brower, K.R.: *Fluid Flow in Cracks as Related to Low-Permeability Gas Sands*, (Tech. Paper SPE11623) SPEJ Apr., 85 191-201

Mui, K. C. and Miller, C. A.: *Stability of Displacement Fronts in Porous Media—Growth of Large Elliptical Fingers*, (Tech. Paper SPE11542) SPEJ Apr., 85 255-267

N

Narasimhan, T. N. and Pruess, K.: *A Practical Method for Modeling Fluid and Heat Flow in Fractured Porous Media*, (Tech. Paper SPE10509) SPEJ Feb., 85 14-26

Nolte, K.G.: *The Effect of Uncertainty in Wave Force Coefficients for Offshore Structures*, (Tech. Paper SPE7217) SPEJ Oct., 85 757-764

O

O'Sullivan, M.J. *et al.*: *Fluid and Heat Flow in Gas-Rich Geothermal Reservoirs*, (Tech. Paper SPE12102) SPEJ Apr., 85 215-226

O'Sullivan, M.J. *et al.*: *Injection and Energy Recovery in Fractured Geothermal Reservoirs*, (Tech. Paper SPE11689) SPEJ Apr., 85 303-312

Odeh, A.S.: *The Proper Interpretation of Field-Determined Buildup Pressure and Skin Values for Simulator Use*, (Tech. Paper SPE11759) SPEJ Feb., 85 125-131

Orr Jr., F.M. and Campbell, B.T.: *Flow Visualization for CO2/Crude-Oil Displacements*, (Tech. Paper SPE11958) SPEJ Oct., 85 665-678

Otter, R.W. *et al.*: *A Test for Detecting Rock Property Nonuniformities in Core Samples*, (Tech. Paper SPE12585) SPEJ Dec., 85 909-916

P

Pattillo, P.D. and Smith, M.B.: *The Effect of Formation Flow on the Integrity of Perforated Casing*, (Tech. Paper SPE11123) SPEJ Oct., 85 637-646

Peck, E.E. *et al.*: *Determination of Interstitial Chloride in Shales and Consolidated Rocks by a Precision Leaching Technique*, (Tech. Paper SPE12724) SPEJ Oct., 85 704-710

Perkins, T. K. and Gonzalez, J. A.: *The Effect of Thermoelastic Stresses on Injection Well Fracturing*, (Tech. Paper SPE11332) SPEJ Feb., 85 78-88

Philips, J.C. *et al.*: *A High-Pyruvate Xanthan for EOR*, (Tech. Paper SPE10617) SPEJ Aug., 85 594-602

Pierson, R. G. *et al.*: *Efficiency of D4 Gaussian Elimination on a Vector Computer*, (Tech. Paper SPE11082) SPEJ Feb., 85 121-124

Pinder, G. F. and Allen, M. B.: *The Convergence of Upstream Collocation in the Buckley-Leverett Problem*, (Tech. Paper SPE10978) SPEJ June, 85 363-370

Pope, G.A. *et al.*: *Microemulsion Phase Behavior: A Thermodynamic Modeling of the Phase Partitioning of Amphiphilic Species*, (Tech. Paper SPE12586) SPEJ Oct., 85 693-703

Pope, G.A. *et al.*: *Multiphase Dispersion and Relative Permeability Experiments*, (Tech. Paper SPE10201) SPEJ Aug., 85 524-534

Potempa, T.: *Mobility Weighting in Numerical Reservoir Simulation*, (Tech. Paper SPE12566) SPEJ Aug., 85 565-572

Preus, M.W. *et al.*: *Factors Contributing to the Ability of Acrolein To Scavenge Corrosive Hydrogen Sulfide*, (Tech. Paper SPE11749) SPEJ Oct., 85 647-655

Prijambodo, R. *et al.*: *Well Test Analysis for Wells Producing Layered Reservoirs With Crossflow*, (Tech. Paper SPE10262) SPEJ June, 85 380-396

Prouvost, L. *et al.*: *Microemulsion Phase Behavior: A Thermodynamic Modeling of the Phase Partitioning of Amphiphilic Species*, (Tech. Paper SPE12586) SPEJ Oct., 85 693-703

Pruess, K. and Narasimhan, T. N.: *A Practical Method for Modeling Fluid and Heat Flow in Fractured Porous Media*, (Tech. Paper SPE10509) SPEJ Feb., 85 14-26

Pruess, K. *et al.*: *Fluid and Heat Flow in Gas-Rich Geothermal Reservoirs*, (Tech. Paper SPE12102) SPEJ Apr., 85 215-226

Pruess, K. *et al.*: *Injection and Energy Recovery in Fractured Geothermal Reservoirs*, (Tech. Paper SPE11689) SPEJ Apr., 85 303-312

Pusch, G. and Dietzel, H.J.: *Laboratory Investigations of the Dynamic Stability of Polymer Slugs*, (Tech. Paper SPE10614) SPEJ Feb., 85 9-13

R

Radke, C.J. and Bunge, A.L.: *The Origin of Reversible Hydroxide Uptake on Reservoir Rock*, (Tech. Paper SPE11798) SPEJ Oct., 85 711-718

Raghavan, R. *et al.*: *Pressure Transient Analysis Methods for Bounded Naturally Fractured Reservoirs*, (Tech. Paper SPE11243) SPEJ June, 85 451-464

Raghavan, R. *et al.*: *Approximate Solutions for Fractured Wells Producing Layered Reservoirs*, (Tech. Paper SPE11599) SPEJ Oct., 85 729-742

Raghavan, R. *et al.*: *Well Test Analysis for Wells Producing Layered Reservoirs With Crossflow*, (Tech. Paper SPE10262) SPEJ June, 85 380-396

Ramey Jr., H.J. and Miller, M.A.: *Effect of Temperature on Oil/Water Relative Permeabilities of Unconsolidated and Consolidated Sands*, (Tech. Paper SPE12116) SPEJ Dec., 85 945-953

Ray, J. E. *et al.*: *Identification of Crude Oil Components Responsible for Foaming*, (Tech. Paper SPE12342) SPEJ Apr., 85 171-175

Reynolds, A. C. *et al.*: *Well Test Analysis for Wells Producing Layered Reservoirs With Crossflow*, (Tech. Paper SPE10262) SPEJ June, 85 380-396

Reynolds, A.C. *et al.*: *Pressure Transient Analysis Methods for Bounded Naturally Fractured Reservoirs*, (Tech. Paper SPE11243) SPEJ June, 85 451-464

Reynolds, A.C. *et al.*: *Approximate Solutions for Fractured Wells Producing Layered Reservoirs*, (Tech. Paper SPE11599) SPEJ Oct., 85 729-742

Roodhart, L.P.: *Fracturing Fluids: Fluid-Loss Measurements Under Dynamic Conditions*, (Tech. Paper SPE11900) SPEJ Oct., 85 629-636

Rosenbaum, I.: *Determination of Economic Limit for Non-EOR Projects in Alberta*, (Tech. Paper SPE11920) SPEJ Dec., 85 886-892

Roulet, C. *et al.*: *Litho-Density Tool Calibration*, (Tech. Paper SPE12048) SPEJ Aug., 85 515-520

Rouse, B. *et al.*: *Microemulsion Phase Behavior: A Thermodynamic Modeling of the Phase Partitioning of Amphiphilic Species*, (Tech. Paper SPE12586) SPEJ Oct., 85 693-703

Rouse, B.A. *et al.*: *Multiphase Dispersion and Relative Permeability Experiments*, (Tech. Paper SPE10201) SPEJ Aug., 85 524-534

Rubin, B. and Buchanan, W.L.: *A General Purpose Thermal Model*, (Tech. Paper SPE11713) SPEJ Apr., 85 202-214

S

Sabathier, J. *et al.*: *The 'Checker Model,' An Improvement in Modeling Naturally Fractured Reservoirs With a Tridimensional, Triphasic, Black-Oil Model*, (Tech. Paper SPE10977) SPEJ Oct., 85 743-756

Sageev, A. and Horne, R. N.: *Interference Between Constant-Rate and Constant-Pressure Reservoirs Sharing a Common Aquifer*, (Tech. Paper SPE12711) SPEJ June, 85 419-426

Sahimi, M. *et al.*: *Thermodynamic Modeling of Phase and Tension Behavior of CO2/Hydrocarbon Systems*, (Tech. Paper SPE10268) SPEJ Apr., 85 235-254

Sammon, P.H. *et al.*: *Fully Coupled Multiblock Wells in Oil Simulation*, (Tech. Paper SPE11877) SPEJ Aug., 85 535-542

Sammon, P.H. and Forsyth Jr., P.A.: *Discussion of Numerical Simulation of CO2 Flood Performance*, (Discussion SPE13950) SPEJ Apr., 85 280

Sandstrom, J.L. *et al.*: *Effects of Size on Three-Cone Bit Performance in Laboratory Drilled Shale*, (Tech. Paper SPE11231) SPEJ Aug., 85 473-481

Satman, A.: *An Analytical Study of Interference in Composite Reservoirs*, (Tech. Paper SPE10902) SPEJ Apr., 85 281-290

Schechter, R.S. *et al.*: *Ethoxylated Oleyl Sulfonates as Model Compounds for Enhanced Oil Recovery*, (Tech. Paper SPE11771) SPEJ June, 85 351-357

Schmidt, Z. *et al.*: *Severe Slugging in Offshore Pipeline Riser-Pipe Systems*, (Tech. Paper SPE12334) SPEJ Feb., 85 27-38

Schulte, W.M. and de Vries, A. S.: *In-Situ Combustion in Naturally Fractured Heavy-Oil Reservoirs*, (Tech. Paper SPE10723) SPEJ Feb., 85 67-77

Scriven, L. E. *et al.*: *Thermodynamic Modeling of Quaternary Systems: Oil/Brine/Surfactant/Alcohol*, (Tech. Paper SPE11209) SPEJ June, 85 330-342

Scriven, L.E. *et al.*: *Thermodynamic Modeling of Phase and Tension Behavior of CO2/Hydrocarbon Systems*, (Tech. Paper SPE10268) SPEJ Apr., 85 235-254

Seeman, B. *et al.*: *Litho-Density Tool Calibration*, (Tech. Paper SPE12048) SPEJ Aug., 85 515-520

Serra, K. *et al.*: *Pressure Transient Analysis Methods for Bounded Naturally Fractured Reservoirs*, (Tech. Paper SPE11243) SPEJ June, 85 451-464

Settari, A.: *A New General Model of Fluid Loss in Hydraulic Fracturing*, (Tech. Paper SPE11625) SPEJ Aug., 85 491-501

Shaw, D.W. and Kuehne, D.L.: *Manual and Automated Turbidimetric Methods for the Determination of Polyacrylamides in the Presence of Sulfonates*, (Tech. Paper SPE11784) SPEJ Oct., 85 687-692

Shen, L. C.: *A Laboratory Technique for Measuring Dielectric Properties of Core Samples at Ultrahigh Frequencies*, (Tech. Paper SPE12552) SPEJ Aug., 85 502-514

Smith, M.B. and Pattillo, P.D.: *The Effect of Formation Flow on the Integrity of Perforated Casing*, (Tech. Paper SPE11123) SPEJ Oct., 85 637-646

Smith, M.B.: *Stimulation Design for Short, Precise Hydraulic Fractures*, (Tech. Paper SPE10313) SPEJ June, 85 371-379

Somasundaran, P. and Hanna, H.S.: *Adsorption/Desorption of Sulfonates by Reservoir Rock Minerals in Solutions of Varying Sulfonate Concentrations*, (Tech. Paper SPE10603) SPEJ June, 85 343-350

Southwick, J.G.: *Solubility of Crystalline Silica in Alkaline Solutions: Implications for Alkaline Flooding*, (Tech. Paper SPE12771) SPEJ Dec., 85 857-864

Stone, C.M. and Glowka, D.A.: *Thermal Response of Polycrystalline Diamond Compact Cutters Under Simulated Downhole Conditions*, (Tech. Paper SPE11947) SPEJ Apr., 85 143-156

Stringer, J. C. *et al.*: *Efficiency of D4 Gaussian Elimination on a Vector Computer*, (Tech. Paper SPE11082) SPEJ Feb., 85 121-124

Strom, E. T. *et al.*: *In-Situ Leaching of Crownpoint, New Mexico, Uranium Ore: Part 4—Laboratory Study of Strong Leaching Systems: Oxidant/Sulfuric Acid*, (Tech. Paper SPE11437) SPEJ Dec., 85 881-885

Strom, E. T. *et al.*: *In-Situ Leaching of Crownpoint, New Mexico, Uranium Ore: Part 3— Laboratory Study of Strong Leaching Systems: Sodium Hypochlorite*, (Tech. Paper SPE11436) SPEJ Dec., 85 875-880

Swanson, S.R. *et al.*: *Fracture Conductivity Comparison of Ceramic Proppants*, (Tech. Paper SPE11634) SPEJ Apr., 85 157-170

T

Tate, B.E. *et al.*: *A High-Pyruvate Xanthan for EOR*, (Tech. Paper SPE10617) SPEJ Aug., 85 594-602

Thomas, L. K. *et al.*: *Efficiency of D4 Gaussian Elimination on a Vector Computer*, (Tech. Paper SPE11082) SPEJ Feb., 85 121-124

Tibbitts, G.A. *et al.*: *Effects of Size on Three-Cone Bit Performance in Laboratory Drilled Shale*, (Tech. Paper SPE11231) SPEJ Aug., 85 473-481

Todd, M.R. and Chase, C.A.: *Authors' Reply to Discussion of Numerical Simulation of CO2 Performance*, (Rebuttal SPE13964) SPEJ Apr., 85 280

Towler, B. F. *et al.*: *Reduction of Grid-Orientation Effects in Reservoir Simulation With Generalized Upstream Weighting*, (Tech. Paper SPE11593) SPEJ Dec., 85 902-908

V

Vela, S. *et al.*: *Analytical Model for Vertical Interference Tests Across Low-Permeability Zones*, (Tech. Paper SPE11965) SPEJ June, 85 407-418

Venuto, P. B. *et al.*: *In-Situ Leaching of Crownpoint, New Mexico, Uranium Ore: Part 4—Laboratory Study of Strong Leaching Systems: Oxidant/Sulfuric Acid*, (Tech. Paper SPE11437) SPEJ Dec., 85 881-885

Venuto, P.B. *et al.*: *In-Situ Leaching of Crownpoint, New Mexico, Uranium Ore: Part 3— Laboratory Study of Strong Leaching Systems: Sodium Hypochlorite*, (Tech. Paper SPE11436) SPEJ Dec., 85 875-880

Vogt, T. C. *et al.*: *In-Situ Leaching of Crownpoint, New Mexico, Uranium Ore: Part 4—Laboratory Study of Strong Leaching Systems: Oxidant/Sulfuric Acid*, (Tech. Paper SPE11437) SPEJ Dec., 85 881-885

Vogt, T.C. *et al.*: *In-Situ Leaching of Crownpoint, New Mexico, Uranium Ore: Part 3— Laboratory Study of Strong Leaching Systems: Sodium Hypochlorite*, (Tech. Paper SPE11436) SPEJ Dec., 85 875-880

Vossoughi, S. *et al.*: *Prediction of In-Situ Combustion Process Variables By Use of TGA/DSC Techniques and the Effect of Sand-Grain Specific Surface Area on the Process*, (Tech. Paper SPE11072) SPEJ Oct., 85 656-664

W

Wade, W.H. *et al.*: *Ethoxylated Oleyl Sulfonates as Model Compounds for Enhanced Oil Recovery*, (Tech. Paper SPE11771) SPEJ June, 85 351-357

Wainwright, J. C. *et al.*: *Identification of Crude Oil Components Responsible for Foaming*, (Tech. Paper SPE12342) SPEJ Apr., 85 171-175

Wang, S.T. and Collins, H.N.: *Discussion of the Effect of Crossflow on Waterflooding of Stratified Reservoirs*, (Discussion SPE14490) SPEJ Aug., 85 614

Warpinski, N. R.: *Measurement of Width and Pressure in a Propagating Hydraulic Fracture*, (Tech. Paper SPE11648) SPEJ Feb., 85 46-54

Watson, A. T. *et al.*: *A Test for Detecting Rock Property Nonuniformities in Core Samples*, (Tech. Paper SPE12585) SPEJ Dec., 85 909-916

Weerasooriya, U. *et al.*: *Ethoxylated Oleyl Sulfonates as Model Compounds for Enhanced Oil Recovery*, (Tech. Paper SPE11771) SPEJ June, 85 351-357

Wernau, W.C. *et al.*: *A High-Pyruvate Xanthan for EOR*, (Tech. Paper SPE10617) SPEJ Aug., 85 594-602

Willhite, G.P. *et al.*: *Prediction of In-Situ Combustion Process Variables By Use of TGA/DSC Techniques and the Effect of Sand-Grain Specific Surface Area on the Process*, (Tech. Paper SPE11072) SPEJ Oct., 85 656-664

Winston, H. *et al.*: *Analytical Model for Vertical Interference Tests Across Low-Permeability Zones*, (Tech. Paper SPE11965) SPEJ June, 85 407-418

Woodroof Jr., R.A. *et al.*: *Chemical Evolution of a High-Temperature Fracturing Fluid*, (Tech. Paper SPE11794) SPEJ Oct., 85 623-628

Y

Yang, S. and Ma, D.: *Kinematics of the Cone Bit*, (Tech. Paper SPE10563) SPEJ June, 85 321-329

Yarberry Jr., D.W. *et al.*: *Application of a Reservoir Simulator Interfaced With a Surface Facility Network: A Case History*, (Tech. Paper SPE11479) SPEJ June, 85 397-404

Yew, C. H. and Lu, C.: *Bonded Half-Planes Containing Two Arbitrarily Oriented Cracks: A Study of Containment of Hydraulically Induced Fractures*, (Tech. Paper SPE11871) SPEJ Feb., 85 55-66

Ypma, J.G.J.: *Analytical and Numerical Modeling of Immiscible Gravity-Stable Gas Injection Into Stratified Reservoirs*, (Tech. Paper SPE12158) SPEJ Aug., 85 554-564

Subject Index

A

Absorption
And desorption: of sulfonates by reservoir rock minerals in solutions of varying sulfonate concentrations, (Tech. Paper SPE 10603) SPEJ Jun. 85, 343-350

Abstraction
Batch tests: adsorption/desorption of sulfonates by reservoir rock minerals; solutions of varying sulfonate concentrations, (Tech. Paper SPE 10603) SPEJ Jun. 85, 343-350

Acoustics
Well sounding: determining bottomhole pressures; pumping wells, (Tech. Paper SPE 11580) SPEJ Dec. 85, 823-838

Acrolein
Ability to scavenge corrosive hydrogen sulfide: factors contributing to, (Tech. Paper SPE 11749) SPEJ Oct. 85, 647-655

Adsorbers
Periodic: or fractures: flow through porous medium with, (Tech. Paper SPE 11595) SPEJ Jun. 85, 358-362

Alcohol
Oil/brine/surfactant systems: thermodynamic modeling, (Tech. Paper SPE 11209) SPEJ Jun. 85, 330-342

Algorithm
Alternate diagonal: efficiency of D4 Gaussian elimination on a vector computer, (Tech. Paper SPE 11082) SPEJ Feb. 85, 121-124
For pressure distributions in geometric shapes: simple approach, (Tech. Paper SPE 10088) SPEJ Feb. 85, 113-120
Solution of oil reservoir simulation: fully coupled multiblock wells, (Tech. Paper SPE 11877) SPEJ Aug. 85, 535-542

Alkaline Flooding
Implications of solubility of silica in alkaline solutions, (Tech. Paper SPE 12771) SPEJ Dec. 85, 857-864
Recovery of petroleum: laboratory study of chemical reactions with reservoir sand, (Tech. Paper SPE 12561) SPEJ Aug. 85, 587-593
Reversible hydroxide uptake on reservoir rock: origin of, (Tech. Paper SPE 11798) SPEJ Oct. 85, 711-718

Analytical Methods
Of Buckley-Leverett problem for nonzero initial condition: modification of Welge's method of shock front location, (Tech. Paper SPE 12231) SPEJ Aug. 85, 521-523
Representation of van Everdingen-Hurst aquifer influence functions for reservoir simulation, (Tech. Paper SPE 12565) SPEJ Jun. 85, 405-406

Aquifers
Common: shared by constant-rate and constant-pressure reservoirs; interference between, (Tech. Paper SPE 12711) SPEJ Jun. 85, 419-426
Van Everdingen-Hurst influence functions: analytical representation for reservoir simulation, (Tech. Paper SPE 12565) SPEJ Jun. 85, 405-406

Automation
Of turbidimetric methods: determination of polyacrylamides in presence of sulfonates, (Tech. Paper SPE 11784) SPEJ Oct. 85, 687-692

B

Bits
Cone: kinematics of, (Tech. Paper SPE 10563) SPEJ Jun. 85, 321-329
Polycrystalline diamond compact cutters: thermal response under simulated downhole conditions, (Tech. Paper SPE 11947) SPEJ Apr. 85, 143-156
Three-cone: effects of size on performance in laboratory drilled shale, (Tech. Paper SPE 11231) SPEJ Aug. 85, 473-481

Boreholes
Stability: rock-mechanical aspect of oil and gas well completions, (Tech. Paper SPE 8073) SPEJ Dec. 85, 848-856

Bottomhole Pressure
Determining in pumping wells, (Tech. Paper SPE 11580) SPEJ Dec. 85, 823-838
Flowing: computation in reservoir simulation; analytical well models, (Tech. Paper SPE 11719) SPEJ Aug. 85, 573-579

Boundary Conditions
External: effect on recognition of reservoir pinchout boundaries by pressure transient analysis, (Tech. Paper SPE 11141) SPEJ Jun. 85, 427-436

Brines
Oil/surfactant/alcohol systems: thermodynamic modeling, (Tech. Paper SPE 11209) SPEJ Jun. 85, 330-342

Brookhaven Field: See Mississippi
See Mississippi, (Tech. Paper SPE 12708) SPEJ Dec. 85, 865-874

Buckley-Leverett
Problem for nonzero initial condition: modification of Welge's method of shock front location, (Tech. Paper SPE 12231) SPEJ Aug. 85, 521-523
Problem: convergence of upstream collocation, (Tech. Paper SPE 10978) SPEJ Jun. 85, 363-370
Problem: convergence of upstream collocation; discussion of, (Discussion SPE 14810) SPEJ Dec. 85, 943
Problem: convergence of upstream collocation; reply to discussion, (Rebuttal SPE 14970) SPEJ Dec. 85, 944

C

Calibration
Litho-density tool, (Tech. Paper SPE 12048) SPEJ Aug. 85, 515-520

California
Oilfield brines: factors contributing to ability of acrolein to scavenge corrosive hydrogen, (Tech. Paper SPE 11749) SPEJ Oct. 85, 647-655
Recognition of reservoir pinchout boundaries by pressure transient analysis: effects of external boundaries, (Tech. Paper SPE 11141) SPEJ Jun. 85, 427-436

Canada
Alberta: determination of economic limit for non-EOR projects, (Tech. Paper SPE 11920) SPEJ Dec. 85, 886-892

Capillary Flow
Foam in smooth capillaries: apparent viscosity, (Tech. Paper SPE 12129) SPEJ Apr. 85, 176-190

Capillary Pressure
Potential: a new approach to instability theory in porous media, (Tech. Paper SPE 12725) SPEJ Oct. 85, 765-779
Pseudo curves: use for simulation of water/oil displacement in cross-bedded reservoir zones, (Tech. Paper SPE 12112) SPEJ Dec. 85, 917-926
Carbon Dioxide
Crude oil displacements: flow visualization, (Tech. Paper SPE 11958) SPEJ Oct. 85, 665-678
Flood performance: numerical simulation; authors' reply to discussion, (Rebuttal SPE 13964) SPEJ Apr. 85, 280
Flood performance: numerical simulation; discussion of, (Discussion SPE 13950) SPEJ Apr. 85, 280
Flooding: impact of oil aromaticity, (Tech. Paper SPE 12708) SPEJ Dec. 85, 865-874
Floods: direct thickeners for mobility control, (Tech. Paper SPE 11789) SPEJ Oct. 85, 679-686
Hydrocarbon systems: thermodynamic modeling of phase and tension behavior, (Tech. Paper SPE 10268) SPEJ Apr. 85, 235-254
Minimum miscibility pressure: correlation for impure CO2 streams and live oil systems, (Tech. Paper SPE 11959) SPEJ Apr. 85, 268-274
Multicontact miscible displacement of reservoir fluids by: minimum miscibility pressure required: generalized correlation, (Tech. Paper SPE 12893) SPEJ Dec. 85, 927-934
Case Histories
Application of a reservoir simulator interfaced with a surface facility network, (Tech. Paper SPE 11479) SPEJ Jun. 85, 397-404
Casing
Perforated: effect of formation flow on integrity, (Tech. Paper SPE 11123) SPEJ Oct. 85, 637-646
Cations
Exchange: in porous media with broad-equivalent-weight sulfonate micellar fluids, (Tech. Paper SPE 12126) SPEJ Aug. 85, 580-586
Cerro Prieto Field: See Mexico
See Mexico, (Tech. Paper SPE 12739) SPEJ Dec. 85, 793-803
Characterization
Problems: of naturally fractured reservoirs from well test data, (Tech. Paper SPE 12014) SPEJ Jun. 85, 445-450
Chemical Flooding
High-pyruvate xanthan for EOR, (Tech. Paper SPE 10617) SPEJ Aug. 85, 594-602
Microemulsion phase behavior: thermodynamic modeling of phase partioning of amphiphilic species, (Tech. Paper SPE 12586) SPEJ Oct. 85, 693-703
Chemical Reactions
With reservoir sand: recovery of petroleum by alkaline flooding; laboratory study, (Tech. Paper SPE 12561) SPEJ Aug. 85, 587-593
Chemicals
Evolution: of high-temperature fracturing fluid, (Tech. Paper SPE 11794) SPEJ Oct. 85, 623-628
Coefficients
Wave force: for offshore structures; effect of uncertainty, (Tech. Paper SPE 7217) SPEJ Oct. 85, 757-764
Collocation Methods
Upstream: convergence in Buckley-Leverett problem, (Tech. Paper SPE 10978) SPEJ Jun. 85, 363-370
Upstream: convergence in Buckley-Leverett problem; discussion of, (Discussion SPE 14810) SPEJ Dec. 85, 943
Combustion
Dry and wet: general purpose thermal model, (Tech. Paper SPE 11713) SPEJ Apr. 85, 202-214
In-situ: naturally fractured heavy oil reservoirs, (Tech. Paper SPE 10723) SPEJ Feb. 85, 67-77
Completion
Multizone: fully coupled multiblock wells in oil simulation, (Tech. Paper SPE 11877) SPEJ Aug. 85, 535-542
Composite Reservoir
Analytical study of interference, (Tech. Paper SPE 10902) SPEJ Apr. 85, 281-290
Computers
Calculations; in study of containment of hydraulically induced fractures; bonded half-planes containing two arbitrarily oriented cracks, (Tech. Paper SPE 11871) SPEJ Feb. 85, 55-66
Control, acquistion and analysis of data: measuring dielectric properties of core samples at ultrahigh frequencies, (Tech. Paper SPE 12552) SPEJ Aug. 85, 502-514
Model: of injection well fracturing; effect of thermoelastic stresses, (Tech. Paper SPE 11332) SPEJ Feb. 85, 78-88
Reservoir simulation on super types, (Tech. Paper SPE 10520) SPEJ Apr. 85, 275-279
Vector: efficiency of D4 Gaussian elimination, (Tech. Paper SPE 11082) SPEJ Feb. 85, 121-124
Conductivity
Fracture: comparison of ceramic proppants, (Tech. Paper SPE 11634) SPEJ Apr. 85, 157-170
Thermal: response of polycrystalline diamond compact cutters under simulated downhole conditions, (Tech. Paper SPE 11947) SPEJ Apr. 85, 143-156
Conservation
Fenske method: pressure transient solutions with storage, (Tech. Paper SPE 12133) SPEJ Jun. 85, 437-444
Controls
Mobility: of CO2 floods by use of direct thickeners, (Tech. Paper SPE 11789) SPEJ Oct. 85, 679-686
Mobility: polyacrylamides in presence of sulfonates; manual and automated turbidimetric methods for determination, (Tech. Paper SPE 11784) SPEJ Oct. 85, 687-692
Coordinates
Curvilinear systems: for reservoir simulation, (Tech. Paper SPE 12253) SPEJ Dec. 85, 893-901
Cores
Measuring dielectric properties of samples at ultrahigh frequencies, (Tech. Paper SPE 12552) SPEJ Aug. 85, 502-514
Samples: detecting rock property nonuniformities; test for, (Tech. Paper SPE 12585) SPEJ Dec. 85, 909-916
Unconsolidated and consolidated sands: effect of temperature on oil/water relative permeabilities, (Tech. Paper SPE 12116) SPEJ Dec. 85, 945-953
Correlations
For impure CO2 streams and live oil systems: minimum miscibility pressure, (Tech. Paper SPE 11959) SPEJ Apr. 85, 268-274
Generalized minimum miscibility pressure, (Tech. Paper SPE 12893) SPEJ Dec. 85, 927-934
Costs
Economic limit: determination for non-EOR projects in Alberta, (Tech. Paper SPE 11920) SPEJ Dec. 85, 886-892
Cross Flow
Effect on waterflooding of stratified reservoirs, (Tech. Paper SPE 11495) SPEJ Apr. 85, 291-302
Effect on waterflooding of stratified reservoirs: author's reply to discussion of, (Rebuttal SPE 14692) SPEJ Aug. 85, 614
Effect on waterflooding of stratified reservoirs: discussion of, (Discussion SPE 14490) SPEJ Aug. 85, 614
Wells producing layered reservoirs: well test analysis for, (Tech. Paper SPE 10262) SPEJ Jun. 85, 380-396

Crosslinking Agents
For fracturing fluids: power law fluid model for, (Tech. Paper SPE 9332) SPEJ Dec. 85, 935-942
Crownpoint Area, See New Mexico
See New Mexico, (Tech. Paper SPE 11436) SPEJ Dec. 85, 875-880
See New Mexico, (Tech. Paper SPE 11437) SPEJ Dec. 85, 881-885
Crude Oils
CO2 displacements: flow visualization, (Tech. Paper SPE 11958) SPEJ Oct. 85, 665-678
Identification of components responsible for foaming, (Tech. Paper SPE 12342) SPEJ Apr. 85, 171-175
Crystals
Liquid: ethoxylated oleyl sulfonates; model compounds for enhanced oil recovery, (Tech. Paper SPE 11771) SPEJ Jun. 85, 351-357

D

Damage
Skin effect: unsteady-state spherical flow, (Tech. Paper SPE 12950) SPEJ Dec. 85, 804-822
Data
Geophysical analysis on supercomputers, (Tech. Paper SPE 10520) SPEJ Apr. 85, 275-279
Well test: problems in characterization of naturally fractured reservoirs from, (Tech. Paper SPE 12014) SPEJ Jun. 85, 445-450
Deformation
Formation/casing: effect of formation flow on integrity of perforated casing, (Tech. Paper SPE 11123) SPEJ Oct. 85, 637-646
Density
Litho: tool calibration, (Tech. Paper SPE 12048) SPEJ Aug. 85, 515-520
Design
Stimulation: short, precise hydraulic fractures, (Tech. Paper SPE 10313) SPEJ Jun. 85, 371-379
Developments
Managing reservoir: application of a reservoir silmulator interfaced with a surface facility network; case history, (Tech. Paper SPE 11479) SPEJ Jun. 85, 397-404
Of modification of Welge's method of shock front location: Buckley-Leverett problem for nonzero initial condition, (Tech. Paper SPE 12231) SPEJ Aug. 85, 521-523
Diamond
Polycrystalline compact cutters: thermal response under simulated downhole conditions, (Tech. Paper SPE 11947) SPEJ Apr. 85, 143-156
Dielectric Properties
Of core samples at ultrahigh frequencies: laboratory technique for measuring, (Tech. Paper SPE 12552) SPEJ Aug. 85, 502-514
Difference Equations
Solution technique used in general purpose compositional model, (Tech. Paper SPE 10515) SPEJ Aug. 85, 543-553
Differential Scanning Calorimetry
And TAG techniques: use in prediction of in-situ combustion process variables; effect of sand-grain specific surface area on process, (Tech. Paper SPE 11072) SPEJ Oct. 85, 656-664
Diffusivity
Hydraulic: in composite reservoirs; analytical study of interference, (Tech. Paper SPE 10902) SPEJ Apr. 85, 281-290
Dispersion
Multiphase: and relative permeability experiments, (Tech. Paper SPE 10201) SPEJ Aug. 85, 524-534
foamlike: for mobility control: CO2 floods, (Tech. Paper SPE 11233) SPEJ Aug. 85, 603-613
Displacement
CO2/Crude oil displacements: visualization, (Tech. Paper SPE 11958) SPEJ Oct. 85, 665-678
Fluid: new approach to instability theory in porous media, (Tech. Paper SPE 12725) SPEJ Oct. 85, 765-779
Fronts: stability in porous media; growth of large elliptical fingers, (Tech. Paper SPE 11542) SPEJ Apr. 85, 255-267
Water/oil characteristics: in cross-bedded reservoir zones, (Tech. Paper SPE 12112) SPEJ Dec. 85, 917-926
Displacement Efficiency
Oil by CO2: impact of oil aromaticity on flooding, (Tech. Paper SPE 12708) SPEJ Dec. 85, 865-874
Drag Cutters
Polycrystalline diamond compact: thermal response under simulated downhole conditions, (Tech. Paper SPE 11947) SPEJ Apr. 85, 143-156
Drawdown Analyses
Type curves for finite radial and linear gas-flow systems: constant-terminal-pressure case, (Tech. Paper SPE 12917) SPEJ Oct. 85, 719-728
Drawdown Tests
Transient analysis: elongated linear flow system, (Tech. Paper SPE 12520) SPEJ Dec. 85, 839-847
Drilling
Cone bit: kinematics of, (Tech. Paper SPE 10563) SPEJ Jun. 85, 321-329
Polycrystalline diamond compact cutters: thermal response under simulated downhole conditions, (Tech. Paper SPE 11947) SPEJ Apr. 85, 143-156
Shale: in laboratory; effects of size on three-cone bit performance, (Tech. Paper SPE 11231) SPEJ Aug. 85, 473-481
Dynamics
Conditions: fluid-loss measurements of fracturing fluids, (Tech. Paper SPE 11900) SPEJ Oct. 85, 629-636
Of two-phase flow: random network models of porous media, (Tech. Paper SPE 11014) SPEJ Feb. 85, 89-100
Stability of polymer slugs: laboratory investigations, (Tech. Paper SPE 10614) SPEJ Feb. 85, 9-13

E

Economics
Limit: determination for non-EOR projects in Alberta, (Tech. Paper SPE 11920) SPEJ Dec. 85, 886-892
Efficiency
Of D4 Gaussian elimination on a vector computer, (Tech. Paper SPE 11082) SPEJ Feb. 85, 121-124
Electromagnetic Propagation Tool
Measuring dielectric constant: core samples at ultrahigh frequencies; laboratory technique, (Tech. Paper SPE 12552) SPEJ Aug. 85, 502-514
Energy
Recovery: in fractured geothermal reservoirs, (Tech. Paper SPE 11689) SPEJ Apr. 85, 303-312
Enhanced Recovery
Alkaline flooding: laboratory study of chemical reactions with reservoir sand, (Tech. Paper SPE 12561) SPEJ Aug. 85, 587-593
Alkaline flooding: origin of reversible hydroxide uptake on reservoir rock, (Tech. Paper SPE 11798) SPEJ Oct. 85, 711-718

Alkaline flooding; implications of solubility of silica in alkaline solutions, (Tech. Paper SPE 12771) SPEJ Dec. 85, 857-864

By frontal advance: convergence of upstream collocation: Buckley-Leverett problem, (Tech. Paper SPE 10978) SPEJ Jun. 85, 363-370

By frontal advance: convergence of upstream collocation; Buckley-Leverett problem; discussion of, (Discussion SPE 14810) SPEJ Dec. 85, 943

CO2 floods: foamlike dispersions for mobility control, (Tech. Paper SPE 11233) SPEJ Aug. 85, 603-613

Chemicals transport in porous media: multiphase dispersion and relative permeability experiments, (Tech. Paper SPE 10201) SPEJ Aug. 85, 524-534

Compositional model for: general purpose usage, (Tech. Paper SPE 10515) SPEJ Aug. 85, 543-553

Ethoxylated oleyl sulfonates: model compounds for EOR, (Tech. Paper SPE 11771) SPEJ Jun. 85, 351-357

Experiments: test for detecting rock property nonconformities in core samples, (Tech. Paper SPE 12585) SPEJ Dec. 85, 909-916

High-pyruvate xanthan for, (Tech. Paper SPE 10617) SPEJ Aug. 85, 594-602

In-situ combustion: naturally fractured heavy oil reservoirs, (Tech. Paper SPE 10723) SPEJ Feb. 85, 67-77

Polymer slugs: laboratory investigations of dynamic stability, (Tech. Paper SPE 10614) SPEJ Feb. 85, 9-13

Surfactant flooding; thermodynamic modeling of quanternary systems: Oil/brine/surfactant/alcohol, (Tech. Paper SPE 11209) SPEJ Jun. 85, 330-342

Transport of miscible fluids: in presence of second immiscible phase; some surprises, (Tech. Paper SPE 12125) SPEJ Feb. 85, 101-112

Equipment

Bit, three-cone: effects of size on performance; laboratory drilled shale, (Tech. Paper SPE 11231) SPEJ Aug. 85, 473-481

Cone bit: kinematics of, (Tech. Paper SPE 10563) SPEJ Jun. 85, 321-329

Litho-density tool: calibration, (Tech. Paper SPE 12048) SPEJ Aug. 85, 515-520

Riser-pipe systems: severe slugging in offshore pipeline, (Tech. Paper SPE 12334) SPEJ Feb. 85, 27-38

Evaluations

Laser anemometry: rheological characterization of fracturing fluids, (Tech. Paper SPE 12030) SPEJ Feb. 85, 39-45

Evaporations

Simulated conditions: improved method for measuring fluid loss, (Tech. Paper SPE 10259) SPEJ Aug. 85, 482-490

Evolution

Chemical: of high-temperature fracturing fluid, (Tech. Paper SPE 11794) SPEJ Oct. 85, 623-628

F

Field Case History

Cerro Prieto field, Mexico: use of wireline logs to characterize a geothermal reservoir, (Tech. Paper SPE 12739) SPEJ Dec. 85, 793-803

Fracturing fluid: chemical evolution at high temperature, (Tech. Paper SPE 11794) SPEJ Oct. 85, 623-628

Field Tests

Bottomhole pressures in pumping wells, (Tech. Paper SPE 11580) SPEJ Dec. 85, 823-838

High-pyruvate xanthan for EOR, (Tech. Paper SPE 10617) SPEJ Aug. 85, 594-602

Pressure buildup test on gas well: effects of external boundaries on recognition of reservoir pinchout boundaries, (Tech. Paper SPE 11141) SPEJ Jun. 85, 427-436

Vertical interference: across low-permeability zones; analytical method, (Tech. Paper SPE 11965) SPEJ Jun. 85, 407-418

Filtration

Pressure: effect on dynamic leakoff tests; fluid-loss measurement of fracturing fluids, (Tech. Paper SPE 11900) SPEJ Oct. 85, 629-636

Fingering

At CO2 displacement front: numerical simulation of flood performance; authors' reply to discussion of, (Rebuttal SPE 13964) SPEJ Apr. 85, 280

At CO2 displacement front: numerical simulation of flood performance; discussion of, (Discussion SPE 13950) SPEJ Apr. 85, 280

Growth of large elliptical fingers: stability of displacement fronts, (Tech. Paper SPE 11542) SPEJ Apr. 85, 255-267

Propagation in porous media: new approach to instability theory, (Tech. Paper SPE 12725) SPEJ Oct. 85, 765-779

Flood Pot Test

Multiphase: convergence of upstream collocation; Buckley-Leverett problem, (Tech. Paper SPE 10978) SPEJ Jun. 85, 363-370

Multiphase: convergence of upstream collocation; Buckley-Leverett problem; discussion of, (Discussion SPE 14810) SPEJ Dec. 85, 943

Flow Rate

Computation in reservoir simulation: analytical well models, (Tech. Paper SPE 11719) SPEJ Aug. 85, 573-579

Fluid Flow

Across low-permeability zones: analytical model for vertical interference tests, (Tech. Paper SPE 11965) SPEJ Jun. 85, 407-418

Between reservoir and underground opening: rock-mechanical aspects of oil and gas well completions, (Tech. Paper SPE 8073) SPEJ Dec. 85, 848-856

CO2/crude oil: displacements: visualization of, (Tech. Paper SPE 11958) SPEJ Oct. 85, 665-678

In cracks: as related to low-permeability gas sands, (Tech. Paper SPE 11623) SPEJ Apr. 85, 191-201

In fractured porous media: practical method for modeling, (Tech. Paper SPE 10509) SPEJ Feb. 85, 14-26

In gas-rich geothermal reservoirs, (Tech. Paper SPE 12102) SPEJ Apr. 85, 215-226

Linear, elongated system: pressure transient analysis, (Tech. Paper SPE 12520) SPEJ Dec. 85, 839-847

Naturally fractured reservoirs: an improvement in modeling with a tridimensional, triphasic, black-oil numerical model; the 'checker model', (Tech. Paper SPE 10977) SPEJ Oct. 85, 743-756

Through porous medium; with periodic barriers or fractures, (Tech. Paper SPE 11595) SPEJ Jun. 85, 358-362

Transformed equations for: curvilinear coordinate systems for reservoir simulation, (Tech. Paper SPE 12253) SPEJ Dec. 85, 893-901

Two-phase: in random network models of porous media, (Tech. Paper SPE 11014) SPEJ Feb. 85, 89-100

Two-phase: severe slugging in offshore pipeline riser-pipe systems, (Tech. Paper SPE 12334) SPEJ Feb. 85, 27-38

Unsteady-state spherical: with storage and skin, (Tech. Paper SPE 12950) SPEJ Dec. 85, 804-822

Fluid Loss

Hydraulic fracturing: new general model, (Tech. Paper SPE 11625) SPEJ Aug. 85, 491-501

Measurements: fracturing fluids under dynamic conditions, (Tech. Paper SPE 11900) SPEJ Oct. 85, 629-636

Measuring: at simulated fracture conditions: improved method, (Tech. Paper SPE 10259) SPEJ Aug. 85, 482-490

Fluid Properties

Of crosslinked fracturing fluids: power law model for, (Tech. Paper SPE 9332) SPEJ Dec. 85, 935-942

Of formation: effect of flow on integrity of perforated casing, (Tech. Paper SPE 11123) SPEJ Oct. 85, 637-646

Foams

Dispersions for mobility control: CO2 floods, (Tech. Paper SPE 11233) SPEJ Aug. 85, 603-613

Identification of crude oil components responsible for foaming, (Tech. Paper SPE 12342) SPEJ Apr. 85, 171-175

Mechanisms of flow in porous media: apparent viscosity in smooth capillaries, (Tech. Paper SPE 12129) SPEJ Apr. 85, 176-190

Formation Evaluation

Of tight gas sands: fluid flow in cracks as related to low permeability, (Tech. Paper SPE 11623) SPEJ Apr. 85, 191-201

Formation Fractures

Bounded naturally fractured reservoirs: pressure transient analysis methods, (Tech. Paper SPE 11243) SPEJ Jun. 85, 451-464

Fracturing fluids: power law fluid model for crosslinked fluids, (Tech. Paper SPE 9332) SPEJ Dec. 85, 935-942

Hydraulic, propagating: measurement of width and pressure, (Tech. Paper SPE 11648) SPEJ Feb. 85, 46-54

Hydraulic: stimulation design for short, precise type, (Tech. Paper SPE 10313) SPEJ Jun. 85, 371-379

Hydraulically induced: bonded half-planes containing two arbitrarily oriented cracks; study of containment, (Tech. Paper SPE 11871) SPEJ Feb. 85, 55-66

In geothermal reservoirs: injection and energy recovery in, (Tech. Paper SPE 11689) SPEJ Apr. 85, 303-312

Modeling fluid and heat flow in: practical method for, (Tech. Paper SPE 10509) SPEJ Feb. 85, 14-26

Naturally fractured heavy oil reservoirs: in-situ combustion in, (Tech. Paper SPE 10723) SPEJ Feb. 85, 67-77

Or periodic barriers: flow through porous medium with, (Tech. Paper SPE 11595) SPEJ Jun. 85, 358-362

Problems in characterization of naturally fractured reservoirs from well test data, (Tech. Paper SPE 12014) SPEJ Jun. 85, 445-450

Formation Fracturing

Ceramic proppants: fracture conductivity comparison, (Tech. Paper SPE 11634) SPEJ Apr. 85, 157-170

Hydraulic: new general model of fluid loss, (Tech. Paper SPE 11625) SPEJ Aug. 85, 491-501

Injection wells: effect of thermoelastic stresses, (Tech. Paper SPE 11332) SPEJ Feb. 85, 78-88

Formulation

Mathematical: curvilinear coordinate systems for reservoir simulation, (Tech. Paper SPE 12253) SPEJ Dec. 85, 893-901

Fractured Reservoirs or Fracturing

Approximate solutions for fractured wells producing from layered strata, (Tech. Paper SPE 11599) SPEJ Oct. 85, 729-742

Bounded naturally: pressure transient analysis methods, (Tech. Paper SPE 11243) SPEJ Jun. 85, 451-464

Heavy oil production: in-situ combustion in, (Tech. Paper SPE 10723) SPEJ Feb. 85, 67-77

Modeling fluid and heat flow in: practical method for, (Tech. Paper SPE 10509) SPEJ Feb. 85, 14-26

Naturally: improvement in modeling with tridimensional, triphasic, black-oil numerical model; the 'checker model', (Tech. Paper SPE 10977) SPEJ Oct. 85, 743-756

Naturally: problems in characterization from well test data, (Tech. Paper SPE 12014) SPEJ Jun. 85, 445-450

Fractures

Conductivity: comparison of ceramic proppants, (Tech. Paper SPE 11634) SPEJ Apr. 85, 157-170

Hydraulic: stimulation design for short, precise type, (Tech. Paper SPE 10313) SPEJ Jun. 85, 371-379

Or periodic barriers: flow through porous medium with, (Tech. Paper SPE 11595) SPEJ Jun. 85, 358-362

Fracturing Fluids

Crosslinked: power law fluid model for, (Tech. Paper SPE 9332) SPEJ Dec. 85, 935-942

Fluid-loss measurements under dynamic conditions, (Tech. Paper SPE 11900) SPEJ Oct. 85, 629-636

High-temperature: chemical evolution of, (Tech. Paper SPE 11794) SPEJ Oct. 85, 623-628

Measuring fluid loss at simulated fracture conditions: improved method, (Tech. Paper SPE 10259) SPEJ Aug. 85, 482-490

Rheological characterization: use of laser anemometry, (Tech. Paper SPE 12030) SPEJ Feb. 85, 39-45

Frequency

Ultrahigh: dielectric properties measurement of core samples; laboratory technique, (Tech. Paper SPE 12552) SPEJ Aug. 85, 502-514

Friction

Factors: in propagating hydraulic factors; measurement of width and pre ssure in, (Tech. Paper SPE 11648) SPEJ Feb. 85, 46-54

Frontal Advance Equation

Welge's method of shock front location: modification in Buckley-Leverett problem for nonzero initial condition, (Tech. Paper SPE 12231) SPEJ Aug. 85, 521-523

Functions

Matthews-Brons-Hazebroek: use in pressure transient analysis methods for bounded naturally fraactured reservoirs, (Tech. Paper SPE 11243) SPEJ Jun. 85, 451-464

Van Everdingen-Hurst aquifer influence: analytical representation for reservoir simulation, (Tech. Paper SPE 12565) SPEJ Jun. 85, 405-406

G

Gas Injection

Cross-sectional problem: curvilinear coordinate systems for reservoir simulation, (Tech. Paper SPE 12253) SPEJ Dec. 85, 893-901

Immiscible gravity-stable: into stratified reservoirs; analytical and numerical modeling, (Tech. Paper SPE 12158) SPEJ Aug. 85, 554-564

Reduction of grid orientation effects: reservoir simulation using generalized upstream weighting, (Tech. Paper SPE 11593) SPEJ Dec. 85, 902-908

Gas Production

Type curves for finite radial and linear gas-flow systems; constant-terminal-pressure case, (Tech. Paper SPE 12917) SPEJ Oct. 85, 719-728

Gas Reservoirs

Low-permeablity sands: relation of fluid flow in cracks, (Tech. Paper SPE 11623) SPEJ Apr. 85, 191-201

Gas Wells

Completions: rock-mechanical completions, (Tech. Paper SPE 8073) SPEJ Dec. 85, 848-856

Geothermal Reservoir

Fractured: injection and energy recovery in, (Tech. Paper SPE 11689) SPEJ Apr. 85, 303-312

Gas-rich: fluid and heat flow in, (Tech. Paper SPE 12102) SPEJ Apr. 85, 215-226

In fractured porous media: modeling fluid and heat flow in; practical method for, (Tech. Paper SPE 10509) SPEJ Feb. 85, 14-26

Wireline logs used to characterize: Cerro Prieto case history, (Tech. Paper SPE 12739) SPEJ Dec. 85, 793-803

Gravity Drainage

Analytical model for: immiscible gravity-stable gas injection into stratified reservoirs, (Tech. Paper SPE 12158) SPEJ Aug. 85, 554-564

Guar

Hydroxypropyl: rheological characterization by using laser anemometry, (Tech. Paper SPE 12030) SPEJ Feb. 85, 39-45

H

Heat Flow

In fractured porous media: practical method for modeling, (Tech. Paper SPE 10509) SPEJ Feb. 85, 14-26

Heterogeneity

In core samples: test for detecting rock property nonuniformities, (Tech. Paper SPE 12585) SPEJ Dec. 85, 909-916

Hydrocarbons

CO2 systems: thermodynamic modeling of phase and tension behavior, (Tech. Paper SPE 10268) SPEJ Apr. 85, 235-254

Heavy: deposition during CO2 flooding, (Tech. Paper SPE 12708) SPEJ Dec. 85, 865-874

Multicontact miscible displacement of reservoir fluids by: minimum miscibility pressure required: generalized correlation, (Tech. Paper SPE 12893) SPEJ Dec. 85, 927-934

Hydrogen Sulfide

Factors contributing to ability of acrolein to scavenge, (Tech. Paper SPE 11749) SPEJ Oct. 85, 647-655

Hydroxide

Reversible uptake: on reservoir rock; origin of, (Tech. Paper SPE 11798) SPEJ Oct. 85, 711-718

I

Immiscible Displacement

From microscopic perspective: transport of miscible fluids in presence of second immiscible phase; some surprises, (Tech. Paper SPE 12125) SPEJ Feb. 85, 101-112

Implementation

Of D4 Gaussian elimination: efficiency effect on a vector computer, (Tech. Paper SPE 11082) SPEJ Feb. 85, 121-124

Implicit Pressure, Explicit Saturation (IMPES)

Implicit pressure, explicit saturation (IMPES) method: solution technique used in general purpose compositional model, (Tech. Paper SPE 10515) SPEJ Aug. 85, 543-553

In-Situ Combustion

Process variables: prediction of by use of TGA/DSC techniques; effect of sand-grain specific surface area on process, (Tech. Paper SPE 11072) SPEJ Oct. 85, 656-664

Injection

In fractured geothermal reservoirs, (Tech. Paper SPE 11689) SPEJ Apr. 85, 303-312

Injection Wells

Fracturing: effect of thermoelastic stresses, (Tech. Paper SPE 11332) SPEJ Feb. 85, 78-88

Instability

Theory: in porous media; new approach to, (Tech. Paper SPE 12725) SPEJ Oct. 85, 765-779

Interfacial Tension

Behavior of CO2/hydrocarbon systems: thermodynamic modeling of, (Tech. Paper SPE 10268) SPEJ Apr. 85, 235-254

Measurements: ethoxylated oleyl sulfonates; model compounds for enhanced oil recovery, (Tech. Paper SPE 11771) SPEJ Jun. 85, 351-357

Interference

Analysis: pressure transients in an elongated linear flow system, (Tech. Paper SPE 12520) SPEJ Dec. 85, 839-847

Between constant-rate and constant-pressure reservoirs sharing a common aquifer, (Tech. Paper SPE 12711) SPEJ Jun. 85, 419-426

In composite reservoirs: analytical study of, (Tech. Paper SPE 10902) SPEJ Apr. 85, 281-290

Vertical tests across low-permeability zones: analytical model, (Tech. Paper SPE 11965) SPEJ Jun. 85, 407-418

Interpretation

Proper: of field-determined buildup pressure and skin values for simulator use, (Tech. Paper SPE 11759) SPEJ Feb. 85, 125-131

Interstitial Water

Determination of chloride in shales and consolidated rocks: precision leaching technique, (Tech. Paper SPE 12724) SPEJ Oct. 85, 704-710

Iola Field: See Kansas

See Kansas, (Tech. Paper SPE 11072) SPEJ Oct. 85, 656-664

Ion Exchange

Of Sodium for hydrogen ions: origin of reversible hydroxide uptake on reservoir rock, (Tech. Paper SPE 11798) SPEJ Oct. 85, 711-718

K

Kansas

Iola field: in-situ combustion process variables; prediction of using T GA/DSC techniques; effect of sand-grain specific surface area, (Tech. Paper SPE 11072) SPEJ Oct. 85, 656-664

Kinematics

Of cone bit, (Tech. Paper SPE 10563) SPEJ Jun. 85, 321-329

L

Laboratory Studies

Acrolein: factors contributing to ability to scavenge corrosive hydrogen sulfide, (Tech. Paper SPE 11749) SPEJ Oct. 85, 647-655

Adsorption/desorption of sulfonates by reservoir rock minerals: solutions of varying sulfonate concentrations, (Tech. Paper SPE 10603) SPEJ Jun. 85, 343-350

CO2 floods: direct thickeners for mobility control, (Tech. Paper SPE 11789) SPEJ Oct. 85, 679-686

CO2 minimum miscibility pressure: correlation for impure CO2 streams and live oil systems, (Tech. Paper SPE 11959) SPEJ Apr. 85, 268-274

CO2/crude oil displacements: flow visualization, (Tech. Paper SPE 11958) SPEJ Oct. 85, 665-678

Calibration: litho-density tool, (Tech. Paper SPE 12048) SPEJ Aug. 85, 515-520

Cation exchange in porous media with broad-equivalent-weight sulfonate micellar fluids, (Tech. Paper SPE 12126) SPEJ Aug. 85, 580-586
Ceramic proppants: fracture conductivity comparison, (Tech. Paper SPE 11634) SPEJ Apr. 85, 157-170
Crosslinked fracturing fluids: power law fluid model for, (Tech. Paper SPE 9332) SPEJ Dec. 85, 935-942
Crude oil: identification of components responsible for foaming, (Tech. Paper SPE 12342) SPEJ Apr. 85, 171-175
Dielectric properties of core samples: technique for measuring at ultrahigh frequencies, (Tech. Paper SPE 12552) SPEJ Aug. 85, 502-514
Drilled shale: effects of size on three-cone bit performance, (Tech. Paper SPE 11231) SPEJ Aug. 85, 473-481
Dynamic stability of polymer slugs, (Tech. Paper SPE 10614) SPEJ Feb. 85, 9-13
Ethoxylated oleyl sulfonates: as model compounds for enhanced oil recovery, (Tech. Paper SPE 11771) SPEJ Jun. 85, 351-357
Fluid loss measurement at simulated fracture conditions: improved method, (Tech. Paper SPE 10259) SPEJ Aug. 85, 482-490
Formation flow: effect on integrity of perforated casing, (Tech. Paper SPE 11123) SPEJ Oct. 85, 637-646
Fracturing fluid: high temperature; chemical evolution of, (Tech. Paper SPE 11794) SPEJ Oct. 85, 623-628
Fracturing fluids: fluid-loss measurements under dynamic conditions, (Tech. Paper SPE 11900) SPEJ Oct. 85, 629-636
In-situ combustion process variables: prediction of using TGA/DSC techniques; effect of sand-grain specific surface area on process, (Tech. Paper SPE 11072) SPEJ Oct. 85, 656-664
In-situ combustion: naturally fractured heavy oil reservoirs, (Tech. Paper SPE 10723) SPEJ Feb. 85, 67-77
Interstitial chloride in shales and consolidated rocks: determination by precision leaching technique, (Tech. Paper SPE 12724) SPEJ Oct. 85, 704-710
Kinematics of cone bit, (Tech. Paper SPE 10563) SPEJ Jun. 85, 321-329
Mechanisms of foam flow in porous media; apparent viscosity in smooth capillaries, (Tech. Paper SPE 12129) SPEJ Apr. 85, 176-190
Microemulsion phase behavior: thermodynamic modeling of phase partioning of amphiphilic species, (Tech. Paper SPE 12586) SPEJ Oct. 85, 693-703
Mobility control: high-pyruvate xanthan for EOR, (Tech. Paper SPE 10617) SPEJ Aug. 85, 594-602
Multiphase dispersion and relative permeability, (Tech. Paper SPE 10201) SPEJ Aug. 85, 524-534
Of chemical reactions with reservoir sand: recovery of petroleum by alkaline flooding, (Tech. Paper SPE 12561) SPEJ Aug. 85, 587-593
Of strong leaching systems: oxidant/sulfuric acid; in-situ leaching of Crownpoint, New Mexico, uranium ore, (Tech. Paper SPE 11437) SPEJ Dec. 85, 881-885
Of strong leaching systems: sodium hypochlorite; in-situ leaching of Crownpoint, New Mexico, uranium ore, (Tech. Paper SPE 11436) SPEJ Dec. 85, 875-880
Oil aromaticity: impact on CO2 flooding, (Tech. Paper SPE 12708) SPEJ Dec. 85, 865-874
Oil/water relative permeabilities: effect of temperature; unconsolidated and consolidated sands, (Tech. Paper SPE 12116) SPEJ Dec. 85, 945-953
Polyacrylamides in presence of sulfonates: manual and automated turbidimetric methods for determination, (Tech. Paper SPE 11784) SPEJ Oct. 85, 687-692
Rheological characterization of fracturing fluids: use of laser anemometry, (Tech. Paper SPE 12030) SPEJ Feb. 85, 39-45
Solubility of silica in alkaline solutions: implications for alkaline flooding, (Tech. Paper SPE 12771) SPEJ Dec. 85, 857-864
Transport of miscible fluids: in presence of second immiscible phase; some surprises, (Tech. Paper SPE 12125) SPEJ Feb. 85, 101-112
Tube experiments: combined reverse combustion and steamflooding; oil recovery in Utah tar sand, (Tech. Paper SPE 11159) SPEJ Apr. 85, 227-234

Lasers
Anemometry: use in rheological characterization of fracturing fluids, (Tech. Paper SPE 12030) SPEJ Feb. 85, 39-45

Leaching
In-situ: laboratory study of strong systems, sodium hypochlorite; Crownpoint, New Mexico, uranium ore, (Tech. Paper SPE 11436) SPEJ Dec. 85, 875-880
Precision technique: determination of interstitial chloride in shales and consolidated rocks, (Tech. Paper SPE 12724) SPEJ Oct. 85, 704-710

Linear Regression Analysis
Analytical representation of van Everdingen-Hurst aquifer influence functions for reservoir simulation, (Tech. Paper SPE 12565) SPEJ Jun. 85, 405-406

Logging
Wireline logs: use to characterize geothermal reservoir; Cerro Prieto field, Mexico, (Tech. Paper SPE 12739) SPEJ Dec. 85, 793-803

Louisiana
Fracturing fluid, high-temperature: chemical evolution of, (Tech. Paper SPE 11794) SPEJ Oct. 85, 623-628
Prc-Perdue field: determination of interstitial chloride in shales and consolidated rocks; precision leaching technique, (Tech. Paper SPE 12724) SPEJ Oct. 85, 704-710

M

Maljamar Field, See New Mexico
See New Mexico, (Tech. Paper SPE 11958) SPEJ Oct. 85, 665-678

Management
Decisions: application of a reservoir simulator interfaced; with a surface facility network; case history, (Tech. Paper SPE 11479) SPEJ Jun. 85, 397-404

Mathematics
Buckley-Leverett problem for nonzero initial condition: modification of Welge's method of shock front location, (Tech. Paper SPE 12231) SPEJ Aug. 85, 521-523
Theory of multiphase dispersion and steady-state relative permeability, (Tech. Paper SPE 10201) SPEJ Aug. 85, 524-534

Measurement
Borehole: electron density; litho-density tool calibration, (Tech. Paper SPE 12048) SPEJ Aug. 85, 515-520
Dielectric properties of core samples at ultrahigh frequencies: laboratory technique, (Tech. Paper SPE 12552) SPEJ Aug. 85, 502-514
Fluid loss at simulated fracture conditions: improved method, (Tech. Paper SPE 10259) SPEJ Aug. 85, 482-490
Fluid-loss: fracturing fluids under dynamic conditions, (Tech. Paper SPE 11900) SPEJ Oct. 85, 629-636
Of width and pressure: in propagating hydraulic fracture, (Tech. Paper SPE 11648) SPEJ Feb. 85, 46-54

Mexico

Cerro Prieto geothermal field: case history of wireline logs to characterize a geothermal reservoir, (Tech. Paper SPE 12739) SPEJ Dec. 85, 793-803

Micellar Systems

Adsorption/desorption of sulfonates by reservoir rock minerals: solutionns of varying sulfonate concentrations, (Tech. Paper SPE 10603) SPEJ Jun. 85, 343-350

Broad-equivalent-weight sulfonate fluids: cation exchange in porous media, (Tech. Paper SPE 12126) SPEJ Aug. 85, 580-586

High-pyruvate xanthan for EOR, (Tech. Paper SPE 10617) SPEJ Aug. 85, 594-602

Multiphase dispersion and relative permeability experiments, (Tech. Paper SPE 10201) SPEJ Aug. 85, 524-534

Pilot in Salt Creek field, Wyoming: stimulation design for short precise hydraulic fractures, (Tech. Paper SPE 10313) SPEJ Jun. 85, 371-379

Slug displacement: transport of miscible fluids in presence of second immiscible phase; some surprises, (Tech. Paper SPE 12125) SPEJ Feb. 85, 101-112

Microemulsions

Phase behavior: thermodynamic modeling of phase partitioning of amphiphilic species, (Tech. Paper SPE 12586) SPEJ Oct. 85, 693-703

Middle East

Carbonates: vertical interference tests across low-permeability zones; analytical model, (Tech. Paper SPE 11965) SPEJ Jun. 85, 407-418

Minerals

Reservoir rock: adsorption/desorption of sulfonates by; solutions of varying sulfonate concentrations, (Tech. Paper SPE 10603) SPEJ Jun. 85, 343-350

Miscible Displacement

CO2 flood: numerical simulation of performance; discussion of, (Discussion SPE 13950) SPEJ Apr. 85, 280

CO2 flood; numerical simulation of performance; authors' reply to discussion of, (Rebuttal SPE 13964) SPEJ Apr. 85, 280

CO2 minimum miscibility pressure: correlation for impure CO2 streams and live oil systems, (Tech. Paper SPE 11959) SPEJ Apr. 85, 268-274

CO2/crude oil: flow visualization, (Tech. Paper SPE 11958) SPEJ Oct. 85, 665-678

Minimum miscibility pressure: generalized correlation, (Tech. Paper SPE 12893) SPEJ Dec. 85, 927-934

Transport of fluids in presence of second immiscible phase: some surprises, (Tech. Paper SPE 12125) SPEJ Feb. 85, 101-112

Mississippi

Brookhaven field: CO2 flooding; impact of oil aromaticity, (Tech. Paper SPE 12708) SPEJ Dec. 85, 865-874

Mobility

CO2 floods: direct thickeners for mobility control, (Tech. Paper SPE 11789) SPEJ Oct. 85, 679-686

Control: formlike dispersions for: CO2 floods, (Tech. Paper SPE 11233) SPEJ Aug. 85, 603-613

Control: high-pyruvate xanthan for EOR, (Tech. Paper SPE 10617) SPEJ Aug. 85, 594-602

Control: polyacrylamides in presence of sulfonates; manual and automated turbidimetric, (Tech. Paper SPE 11784) SPEJ Oct. 85, 687-692

Weighting in numerical reservoir simulation, (Tech. Paper SPE 12566) SPEJ Aug. 85, 565-572

Mobility Ratio

Effect on waterflooding: stratified reservoirs with crossflow, (Tech. Paper SPE 11495) SPEJ Apr. 85, 291-302

Effect on waterflooding: stratified reservoirs with crossflow; *discussion of, (Discussion SPE 14490) SPEJ Aug. 85,* 614

Effect on waterflooding: stratified reservoirs; effect on crossflow; author's reply to discussion of, (Rebuttal SPE 14692) SPEJ Aug. 85, 614

Models

3D: numerical simulation of combined reverse combustion *and steamflooding; oil recovery in Utah tar sand, (Tech.* Paper SPE 11159) SPEJ Apr. 85, 227-234

Analytical and numerical: for immiscible gravity-stable gas injection into stratified reservoirs, (Tech. Paper SPE 12158) SPEJ Aug. 85, 554-564

Analytical: for vertical interference tests across low-permeability zones, (Tech. Paper SPE 11965) SPEJ Jun. 85, 407-418

Black-oil numerical, tridimensional, triphasic: 'checker model'; an improvement in modeling naturally fractured reservoirs, (Tech. Paper SPE 10977) SPEJ Oct. 85, 743-756

Compositional: general purpose type, (Tech. Paper SPE 10515) SPEJ Aug. 85, 543-553

Computer: of injection well fracturing; effect of thermoelastic stresses, (Tech. Paper SPE 11332) SPEJ Feb. 85, 78-88

Dual-porosity type: problems in characterization of naturally fractured reservoirs from well test data, (Tech. Paper SPE 12014) SPEJ Jun. 85, 445-450

Geologic and hydrogeologic: use of wireline logs to characterize a geothermal reservoir; Cerro Prieto field, Mexico, (Tech. Paper SPE 12739) SPEJ Dec. 85, 793-803

Hydrodynamic: of severe slugging; offshore pipeline riser-pipe systems, (Tech. Paper SPE 12334) SPEJ Feb. 85, 27-38

Idealized: fractured geothermal reservoirs; injection and energy recovery, (Tech. Paper SPE 11689) SPEJ Apr. 85, 303-312

Mass action: cation exchange in porous media with broad-equivalent-weight sulfonate micellar fluids, (Tech. Paper SPE 12126) SPEJ Aug. 85, 580-586

Mathematical apparent viscosity in smooth capillaries; mechanisms of foam flow in porous media, (Tech. Paper SPE 12129) SPEJ Apr. 85, 176-190

Mathematical: determining bottomhole pressures in pumping wells, (Tech. Paper SPE 11580) SPEJ Dec. 85, 823-838

Mathematical: for fluid and heat flow in fractured porous media, (Tech. Paper SPE 10509) SPEJ Feb. 85, 14-26

Mathematical: general purpose for thermal applications, (Tech. Paper SPE 11713) SPEJ Apr. 85, 202-214

Mathematical: in-situ combustion in naturally fractured oil reservoirs, (Tech. Paper SPE 10723) SPEJ Feb. 85, 67-77

Mathematical: pressure transient methods for bounded naturally fractured reservoirs, (Tech. Paper SPE 11243) SPEJ Jun. 85, 451-464

Mathematical: study of interference in composite reservoirs, (Tech. Paper SPE 10902) SPEJ Apr. 85, 281-290

Mathematical: waterflooding of stratified reservoirs; effect of crossflow, (Tech. Paper SPE 11495) SPEJ Apr. 85, 291-302

Mathematical: waterflooding of stratified reservoirs; effect of crossflow; author's reply to discussion of, (Rebuttal SPE 14692) SPEJ Aug. 85, 614

Mathematical: waterflooding of stratified reservoirs; effect of crossflow; discussion of, (Discussion SPE 14490) SPEJ Aug. 85, 614

Mathematical: wells producing layered reservoirs with crossflow; well test analysis, (Tech. Paper SPE 10262) SPEJ Jun. 85, 380-396
Of fluid loss: hydraulic fracturing, (Tech. Paper SPE 11625) SPEJ Aug. 85, 491-501
Physical: fractured wells producing layered reservoirs; approximate solutions for, (Tech. Paper SPE 11599) SPEJ Oct. 85, 729-742
Pore network: CO2/crude oil displacements; flow visualization, (Tech. Paper SPE 11958) SPEJ Oct. 85, 665-678
Poroelastic plastic: effect of formation flow on integrity of perforated casing, (Tech. Paper SPE 11123) SPEJ Oct. 85, 637-646
Porous: laboratory investigations of dynamic stability of polymer slugs, (Tech. Paper SPE 10614) SPEJ Feb. 85, 9-13
Power law fluid: for crosslinked fluids, (Tech. Paper SPE 9332) SPEJ Dec. 85, 935-942
Pseudophase: thermodynamic modeling of phase partitioning of amphiphilic species; microemulsion phase behavior, (Tech. Paper SPE 12586) SPEJ Oct. 85, 693-703
Random network: two-phase flow in porous media, (Tech. Paper SPE 11014) SPEJ Feb. 85, 89-100
Reservoir simulation: use of vector computer; efficiency of D4 Gaussian elimination on computer, (Tech. Paper SPE 11082) SPEJ Feb. 85, 121-124
Reservoir: tests on supercomputers, (Tech. Paper SPE 10520) SPEJ Apr. 85, 275-279
Rheological characterization: for steady shear flow of fracturing fluids; use of laser anemometry, (Tech. Paper SPE 12030) SPEJ Feb. 85, 39-45
Thermodynamic: of phase and tension behavior; CO2/hydrocarbon systems, (Tech. Paper SPE 10268) SPEJ Apr. 85, 235-254
Thermodynamic: oil/brine/surfactant/alcohol systems, (Tech. Paper SPE 11209) SPEJ Jun. 85, 330-342
Two layer: application of a reservoir simulator interfaced with a surface facility network; case history, (Tech. Paper SPE 11479) SPEJ Jun. 85, 397-404
Well: analytical for reservoir simulation, (Tech. Paper SPE 11719) SPEJ Aug. 85, 573-579

Mohole

Steamflooding: mobility weighting in numerical reservoir simulation, (Tech. Paper SPE 12566) SPEJ Aug. 85, 565-572

Multiple Zones

Fully coupled wells in oil simulation, (Tech. Paper SPE 11877) SPEJ Aug. 85, 535-542

N

Nevada

Test site: measurement of width and pressure in propagating hydraulic fracture, (Tech. Paper SPE 11648) SPEJ Feb. 85, 46-54

New Mexico

Crownpoint area in-situ leaching of uranium ore; laboratory study of sodium hypochlorite systems, (Tech. Paper SPE 11436) SPEJ Dec. 85, 875-880
Crownpoint area: in-situ leaching of uranium ore; laboratory study of oxidant/sulfuric acid systems, (Tech. Paper SPE 11437) SPEJ Dec. 85, 881-885
Fracturing fluid, high-temperature: chemical evolution of, (Tech. Paper SPE 11794) SPEJ Oct. 85, 623-628
Maljamar field: CO2/crude oil displacements; flow visualization, (Tech. Paper SPE 11958) SPEJ Oct. 85, 665-678

New Zealand

Ohaaki field: gas-rich geothermal reservoirs, (Tech. Paper SPE 12102) SPEJ Apr. 85, 215-226

Nitrogen

Multicontact miscible dispacement of reservoir fluids by: minimum miscibility pressure required: generalized correlation, (Tech. Paper SPE 12893) SPEJ Dec. 85, 927-934

Northwest Asphalt Ridge: See Utah

See Utah, (Tech. Paper SPE 11159) SPEJ Apr. 85, 227-234

Numerical Solutions

Analytical well models for reservoir simulation, (Tech. Paper SPE 11719) SPEJ Aug. 85, 573-579
Buildup pressure and skin effect: proper interpretation of field-determined values for simulator use, (Tech. Paper SPE 11759) SPEJ Feb. 85, 125-131
Containment of hydraulically induced fractures: bonded half-planes containing two arbitrarily oriented cracks, (Tech. Paper SPE 11871) SPEJ Feb. 85, 55-66
Convergence of upstream collocation: Buckley-Leverett problem, (Tech. Paper SPE 10978) SPEJ Jun. 85, 363-370
Convergence of upstream collocation: Buckley-Leverett problem; discussion of, (Discussion SPE 14810) SPEJ Dec. 85, 943
Determining bottomhole pressures in pumping wells, (Tech. Paper SPE 11580) SPEJ Dec. 85, 823-838
Dielectric properties measurement: core samples at ultrahigh frequencies, (Tech. Paper SPE 12552) SPEJ Aug. 85, 502-514
Effect of uncertainty in wave force coefficients for offshore structure s, (Tech. Paper SPE 7217) SPEJ Oct. 85, 757-764
Flow through porous medium: with periodic barriers or fractures, (Tech. Paper SPE 11595) SPEJ Jun. 85, 358-362
Fluid and heat flow: gas-rich geothermal reservoirs, (Tech. Paper SPE 12102) SPEJ Apr. 85, 215-226
Fluid loss in hydraulic fracturing: new general model, (Tech. Paper SPE 11625) SPEJ Aug. 85, 491-501
For fractured wells producing layered reservoirs: approximation, (Tech. Paper SPE 11599) SPEJ Oct. 85, 729-742
For modeling fluid and heat flow: fractured porous media; practical method for, (Tech. Paper SPE 10509) SPEJ Feb. 85, 14-26
Fully coupled multiblock wells in oil simulation, (Tech. Paper SPE 11877) SPEJ Aug. 85, 535-542
IMPES method: use in general purpose compositional model, (Tech. Paper SPE 10515) SPEJ Aug. 85, 543-553
Immiscible gravity-stable gas injection into stratified reservoirs, (Tech. Paper SPE 12158) SPEJ Aug. 85, 554-564
Improvement in modeling naturally fractured reservoirs with a tridimensional, triphasic black-oil numerical model; the 'checker model', (Tech. Paper SPE 10977) SPEJ Oct. 85, 743-756
Injection well fracturing: effect of thermoelastic stresses, (Tech. Paper SPE 11332) SPEJ Feb. 85, 78-88
Instability theory in porous media: new approach to, (Tech. Paper SPE 12725) SPEJ Oct. 85, 765-779
Interference between constant-rate and constant-pressure reservoirs sharing a common aquifer, (Tech. Paper SPE 12711) SPEJ Jun. 85, 419-426
Mechanisms of foam flow in porous media: apparent viscosity in smooth capillaries, (Tech. Paper SPE 12129) SPEJ Apr. 85, 176-190

Microemulsion phase behavior: thermodynamic modeling of phase partioning of amphiphilic species, (Tech. Paper SPE 12586) SPEJ Oct. 85, 693-703

Of interference in composite reservoirs, (Tech. Paper SPE 10902) SPEJ Apr. 85, 281-290

Pressure distributions in geometric shapes: simple approach, (Tech. Paper SPE 10088) SPEJ Feb. 85, 113-120

Pressure transient analysis methods: bounded naturally fractured reservoirs, (Tech. Paper SPE 11243) SPEJ Jun. 85, 451-464

Pressure transient solutions with storage: Fenske conservation method, (Tech. Paper SPE 12133) SPEJ Jun. 85, 437-444

Reservoir simulation on supercomputers, (Tech. Paper SPE 10520) SPEJ Apr. 85, 275-279

Reservoir simulation using curvilinear coordinate systems, (Tech. Paper SPE 12253) SPEJ Dec. 85, 893-901

Reservoir simulation using generalized upstream weighting: reductio of grid orientation effects, (Tech. Paper SPE 11593) SPEJ Dec. 85, 902-908

Reservoir simulation: general purpose thermal model, (Tech. Paper SPE 11713) SPEJ Apr. 85, 202-214

Rock-mechanical aspects of oil and gas well completions, (Tech. Paper SPE 8073) SPEJ Dec. 85, 848-856

Simulation of CO2 flood performance: authors' reply to discussion of, (Rebuttal SPE 13964) SPEJ Apr. 85, 280

Simulation of CO2 flood performance: discussion of, (Discussion SPE 13950) SPEJ Apr. 85, 280

Steamflooding model: mobility weighting in numerical reservoir simulation, (Tech. Paper SPE 12566) SPEJ Aug. 85, 565-572

Transport of miscible fluids: in presence of second immiscible phase; some surprises, (Tech. Paper SPE 12125) SPEJ Feb. 85, 101-112

Two-phase flow in porous media: random network models, (Tech. Paper SPE 11014) SPEJ Feb. 85, 89-100

Type curves for finite radial and linear gas-flow systems: constant-terminal-pressure case, (Tech. Paper SPE 12917) SPEJ Oct. 85, 719-728

Unsteady-state spherical flow with storage and skin, (Tech. Paper SPE 12950) SPEJ Dec. 85, 804-822

Vertical interference tests across low-permeability zones; analytical model, (Tech. Paper SPE 11965) SPEJ Jun. 85, 407-418

Water/oil displacement characteristics: in cross-bedded reservoir, (Tech. Paper SPE 12112) SPEJ Dec. 85, 917-926

Waterflooding of stratified reservoirs: effect of crossflow; discussion of, (Discussion SPE 14490) SPEJ Aug. 85, 614

Waterflooding of stratified reservoirs; effect of crossflow, (Tech. Paper SPE 11495) SPEJ Apr. 85, 291-302

Waterflooding of stratified reservoirs; effect on crossflow; author's reply to discussion of, (Rebuttal SPE 14692) SPEJ Aug. 85, 614

O

Offshore

Pipeline riser-pipe system: severe slugging in, (Tech. Paper SPE 12334) SPEJ Feb. 85, 27-38

Structures: effect of uncertainty in wave force coefficients, (Tech. Paper SPE 7217) SPEJ Oct. 85, 757-764

Ohaaki Field: See New Zealand

See New Zealand, (Tech. Paper SPE 12102) SPEJ Apr. 85, 215-226

Oil

Aromaticity: impact on C02 flooding, (Tech. Paper SPE 12708) SPEJ Dec. 85, 865-874

Live: and impure CO2 streams; correlation for CO2 minimum misciblity pressure, (Tech. Paper SPE 11959) SPEJ Apr. 85, 268-274

Water displacement: characteristics in cross-bedded reservoir zones, (Tech. Paper SPE 12112) SPEJ Dec. 85, 917-926

Water relative permeabilities: effect of temperature; unconsolidated and consolidated sands, (Tech. Paper SPE 12116) SPEJ Dec. 85, 945-953

Oil Production

Economic limit: determination for non-EOR projects in Alberta, (Tech. Paper SPE 11920) SPEJ Dec. 85, 886-892

Oil Recovery

Alkaline flooding: origin of reversible hydroxide uptake on reservoir rock, (Tech. Paper SPE 11798) SPEJ Oct. 85, 711-718

By alkaline flooding: laboratory study of chemical reactions with reservoir sand, (Tech. Paper SPE 12561) SPEJ Aug. 85, 587-593

By frontal advance: convergence of upstream collocation; Buckley-Leverett problem, (Tech. Paper SPE 10978) SPEJ Jun. 85, 363-370

By frontal advance: convergence of upstream collocation; Buckley-Leverett problem; discussion of, (Discussion SPE 14810) SPEJ Dec. 85, 943

CO2 floods: foamlike dispersions for mobility control, (Tech. Paper SPE 11233) SPEJ Aug. 85, 603-613

Chemicals transport in porous media: multiphase dispersion and relative permeability experiments, (Tech. Paper SPE 10201) SPEJ Aug. 85, 524-534

Enhanced: by ethoxylated oleyl sulfonates: model compounds, (Tech. Paper SPE 11771) SPEJ Jun. 85, 351-357

High-pyruvate xanthan for, (Tech. Paper SPE 10617) SPEJ Aug. 85, 594-602

Utah tar sand: numerical simulation of combined reverse combustion and steamflooding, (Tech. Paper SPE 11159) SPEJ Apr. 85, 227-234

Oil Wells

Completions: rock-mechanical aspects, (Tech. Paper SPE 8073) SPEJ Dec. 85, 848-856

Fully coupled multiblock wells in oil simulation, (Tech. Paper SPE 11877) SPEJ Aug. 85, 535-542

Orientation

Cracks in bonded half-planes: study of containment of hydraulically induced fractures, (Tech. Paper SPE 11871) SPEJ Feb. 85, 55-66

Grid: affect on mobility weighting in steamflooding model: numerical reservoir simulation, (Tech. Paper SPE 12566) SPEJ Aug. 85, 565-572

Grid: reduction of effects in reservoir simulation using generalized upstream weighting, (Tech. Paper SPE 11593) SPEJ Dec. 85, 902-908

Overburden Pressure

Sensitivity of low-permeability gas sands: relation of fluid flow in cracks, (Tech. Paper SPE 11623) SPEJ Apr. 85, 191-201

Oxidant

Sulfuric acid strong leaching systems: in-situ leaching of Crownpoint, New Mexico, uranium ore; laboratory study, (Tech. Paper SPE 11437) SPEJ Dec. 85, 881-885

P

Parc-Perdue Field: See Louisiana
See Louisiana, (Tech. Paper SPE 12724) SPEJ Oct. 85, 704-710
Perforating
Stability: rock-mechanical aspect of oil and gas well completions, (Tech. Paper SPE 8073) SPEJ Dec. 85, 848-856
Performance Predictions
CO2 flood: numerical simulation; San Andres reservoir; authors' reply to discussion of, (Rebuttal SPE 13964) SPEJ Apr. 85, 280
CO2 flood: numerical simulation; San Andres reservoir; discussion of, (Discussion SPE 13950) SPEJ Apr. 85, 280
Permeability
Low zones: analytical model for vertical interference tests, (Tech. Paper SPE 11965) SPEJ Jun. 85, 407-418
Low: gas sands; fluid flow in cracks, (Tech. Paper SPE 11623) SPEJ Apr. 85, 191-201
Rock: effect on dynamic leakoff tests; fluid-loss measurement of fracturing fluids, (Tech. Paper SPE 11900) SPEJ Oct. 85, 629-636
Phase Behavior
Ethoxylated oleyl sulfonates: model compounds for enhanced oil recovery, (Tech. Paper SPE 11771) SPEJ Jun. 85, 351-357
Microemulsion: thermodynamic modeling of phase partitioning of amphiphilic species, (Tech. Paper SPE 12586) SPEJ Oct. 85, 693-703
Of CO2/hydrocarbon systems: thermodynamic modeling of, (Tech. Paper SPE 10268) SPEJ Apr. 85, 235-254
Oil/brine/surfactant/alcohol systems: thermodynamic modeling, (Tech. Paper SPE 11209) SPEJ Jun. 85, 330-342
Pilot Study
Stimulation design for short, precise hydraulic fractures, (Tech. Paper SPE 10313) SPEJ Jun. 85, 371-379
Pinchout
Reservoir boundaries: effects of external boundaries on recognition by pressure transient analysis, (Tech. Paper SPE 11141) SPEJ Jun. 85, 427-436
Pipelines
Offshore riser-pipe systems: severe slugging in, (Tech. Paper SPE 12334) SPEJ Feb. 85, 27-38
Polyacrylamide
In presence of sulfonates: manual and automated turbidimetric methods for determination, (Tech. Paper SPE 11784) SPEJ Oct. 85, 687-692
Polymers
As direct thickeners for mobility control of CO2 floods, (Tech. Paper SPE 11789) SPEJ Oct. 85, 679-686
Slugs: laboratory investigation of dynamic stability, (Tech. Paper SPE 10614) SPEJ Feb. 85, 9-13
Porosity
Effect of variations on waterflooding: stratified reservoirs with crossflow, (Tech. Paper SPE 11495) SPEJ Apr. 85, 291-302
Effect of variations on waterflooding: stratified reservoirs with crossflow; discussion of, (Discussion SPE 14490) SPEJ Aug. 85, 614
Effect of variations on waterflooding; stratified reservoirs with crossflow; author's reply to discussion of, (Rebuttal SPE 14692) SPEJ Aug. 85, 614
Porous Media
Fractured: practical method for modeling fluid and heat flow, (Tech. Paper SPE 10509) SPEJ Feb. 85, 14-26
Instability theory in: new approach to, (Tech. Paper SPE 12725) SPEJ Oct. 85, 765-779
Mechanisms of foam flow: apparent viscosity in smooth capillaries, (Tech. Paper SPE 12129) SPEJ Apr. 85, 176-190
Stability of displacement fronts in: growth of large elliptical fingers, (Tech. Paper SPE 11542) SPEJ Apr. 85, 255-267
Two-phase flow in random network models, (Tech. Paper SPE 11014) SPEJ Feb. 85, 89-100
With broad-equivalent-weight sulfonate micellar fluids: cation exchange in, (Tech. Paper SPE 12126) SPEJ Aug. 85, 580-586
With periodic barriers or fractures: flow through, (Tech. Paper SPE 11595) SPEJ Jun. 85, 358-362
Pressure Behavior
CO2 minimum miscibility pressure: correlation for impure CO2 streams and live oil systems, (Tech. Paper SPE 11959) SPEJ Apr. 85, 268-274
Drop across core during two-phase immiscible displacement; test for detecting rock property nonuniformities, (Tech. Paper SPE 12585) SPEJ Dec. 85, 909-916
Measurement of: in propagating hydraulic fracture, (Tech. Paper SPE 11648) SPEJ Feb. 85, 46-54
Minimum miscibility: generalized correlation, (Tech. Paper SPE 12893) SPEJ Dec. 85, 927-934
Type curves for finite radial and linear gas-flow systems: constant-terminal-pressure case, (Tech. Paper SPE 12917) SPEJ Oct. 85, 719-728
Pressure Buildup
Field determined: and skin values for simular use; proper interpretation, (Tech. Paper SPE 11759) SPEJ Feb. 85, 125-131
Wells producing layered reservoirs with crossflow: well test analysis, (Tech. Paper SPE 10262) SPEJ Jun. 85, 380-396
Pressure Distribution
In geometric shapes: simple approach, (Tech. Paper SPE 10088) SPEJ Feb. 85, 113-120
Pressure Drawdown
Test: effects of external boundaries on recognition of reservoir pinchout boundaries, (Tech. Paper SPE 11141) SPEJ Jun. 85, 427-436
Wells producing layered reservoirs with crossflow: well test analysis, (Tech. Paper SPE 10262) SPEJ Jun. 85, 380-396
Pressure Gradients
On fracture surface: study of containment of hydraulically induced fractures; bonded half-planes containing two arbitrarily oriented cracks, (Tech. Paper SPE 11871) SPEJ Feb. 85, 55-66
Pressure Transients
Analysis in elogated linear flow system, (Tech. Paper SPE 12520) SPEJ Dec. 85, 839-847
Analysis of interference between constant-rate and constant-pressure reservoirs sharing a common aquifer, (Tech. Paper SPE 12711) SPEJ Jun. 85, 419-426
Analysis: effects of external boundaries on recognition of reservoir pinchout boundaries, (Tech. Paper SPE 11141) SPEJ Jun. 85, 427-436
Analysis: methods for bounded naturally fractured reservoirs, (Tech. Paper SPE 11243) SPEJ Jun. 85, 451-464
Solutions with storage: Fenske conservation method, (Tech. Paper SPE 12133) SPEJ Jun. 85, 437-444
Probability
Distribution: effect of uncertainty in wave force coefficients for offshore structures, (Tech. Paper SPE 7217) SPEJ Oct. 85, 757-764

Production
From layered reservoirs: approximate solutions for fractured wells, (Tech. Paper SPE 11599) SPEJ Oct. 85, 729-742
Production Operations
Crude oil foaming: identification of components responsible for, (Tech. Paper SPE 12342) SPEJ Apr. 85, 171-175
Massive hydraulic fracturing: fracture conductivity comparison of ceramic proppants, (Tech. Paper SPE 11634) SPEJ Apr. 85, 157-170
Propagation
Of a hydraulic fracture: measurement of width and pressure in, (Tech. Paper SPE 11648) SPEJ Feb. 85, 46-54
Proppant
Ceramic: fracture conductivity comparison, (Tech. Paper SPE 11634) SPEJ Apr. 85, 157-170
Pumping Wells
Determining bottomhole pressures, (Tech. Paper SPE 11580) SPEJ Dec. 85, 823-838

Q

Quartz
Silica dissolution from: implications for alkaline flooding of solubility of silica in alkaline solutions, (Tech. Paper SPE 12771) SPEJ Dec. 85, 857-864

R

Relative Permeability
And multiphase dispersion experiments, (Tech. Paper SPE 10201) SPEJ Aug. 85, 524-534
Oil/water: effect of temperature: unconsolidated and consolidated, (Tech. Paper SPE 12116) SPEJ Dec. 85, 945-953
Pseudo curves: use for simulation of water/oil displacement in cross-bedded reservoir zones, (Tech. Paper SPE 12112) SPEJ Dec. 85, 917-926
Reservoir Analysis
Application of a simulator interfaced with a surface facility network: case history, (Tech. Paper SPE 11479) SPEJ Jun. 85, 397-404
Reservoir Engineering
Use of random network models: two-phase flow in porous media, (Tech. Paper SPE 11014) SPEJ Feb. 85, 89-100
Reservoir Pressure
Constant-terminal case: type curves for finite radial and linear gas-flow systems, (Tech. Paper SPE 12917) SPEJ Oct. 85, 719-728
Reservoir Rocks
Chemical reactions with: laboratory study of recovery of petroleum by alkaline flooding, (Tech. Paper SPE 12561) SPEJ Aug. 85, 587-593
Minerals: adsorption/desorption of sulfonates by: solutions of varying sulfonate concentrations, (Tech. Paper SPE 10603) SPEJ Jun. 85, 343-350
Reversible hydroxide uptake on: origin of, (Tech. Paper SPE 11798) SPEJ Oct. 85, 711-718
Reservoir Simulation
Analytical representation of van Everdingen-Hurst aquifer influence functions, (Tech. Paper SPE 12565) SPEJ Jun. 85, 405-406
Analytical well models for, (Tech. Paper SPE 11719) SPEJ Aug. 85, 573-579
Application of simulator interfaced with a surface facility network: case history, (Tech. Paper SPE 11479) SPEJ Jun. 85, 397-404
Combined reverse combustion and steamflooding: oil recovery in Utah tar sand, (Tech. Paper SPE 11159) SPEJ Apr. 85, 227-234
Compositional model for general purpose usage, (Tech. Paper SPE 10515) SPEJ Aug. 85, 543-553
Curvilinear coordinate systems for, (Tech. Paper SPE 12253) SPEJ Dec. 85, 893-901
Field-determined buidup pressure and skin values for simuator use; proper interpretation of, (Tech. Paper SPE 11759) SPEJ Feb. 85, 125-131
Fluid and heat flow: gas-rich geothermal reservoirs, (Tech. Paper SPE 12102) SPEJ Apr. 85, 215-226
Fractured geothermal reservoirs: injection and energy recovery in, (Tech. Paper SPE 11689) SPEJ Apr. 85, 303-312
Fully coupled multiblock oil wells problem, (Tech. Paper SPE 11877) SPEJ Aug. 85, 535-542
General purpose thermal model, (Tech. Paper SPE 11713) SPEJ Apr. 85, 202-214
Numerical: mobility weighting in steamflooding model, (Tech. Paper SPE 12566) SPEJ Aug. 85, 565-572
Of naturally fractured types: an improvement in modeling with a tridimensional, triphasic black-oil numerical model; the 'checker model', (Tech. Paper SPE 10977) SPEJ Oct. 85, 743-756
On supercomputers, (Tech. Paper SPE 10520) SPEJ Apr. 85, 275-279
Reduction of grid orientation effects using generalized upstream weighting, (Tech. Paper SPE 11593) SPEJ Dec. 85, 902-908
Reservoirs
Bounded naturally fractured: pressure transient analysis methods, (Tech. Paper SPE 11243) SPEJ Jun. 85, 451-464
Constant-rate and constant-pressure: interference between when sharing a common aquifer, (Tech. Paper SPE 12711) SPEJ Jun. 85, 419-426
Layered: fractured wells producing from; approximate solutions, (Tech. Paper SPE 11599) SPEJ Oct. 85, 729-742
Layered: well test analysis for wells producing with crossflow, (Tech. Paper SPE 10262) SPEJ Jun. 85, 380-396
Multiple wells: pressure distributions in geometric shapes; simple approach, (Tech. Paper SPE 10088) SPEJ Feb. 85, 113-120
Naturally fractured: problems in characterization from well test data, (Tech. Paper SPE 12014) SPEJ Jun. 85, 445-450
Stratified: immiscible gravity-stable gas injection into; analytical and numerical modeling, (Tech. Paper SPE 12158) SPEJ Aug. 85, 554-564
Reverse Combustion
Combined with steamflooding: numerical simulation; oil recovery in Utah tar sand, (Tech. Paper SPE 11159) SPEJ Apr. 85, 227-234
Rheology
Characterization of fracturing fluids by using laser anemometry, (Tech. Paper SPE 12030) SPEJ Feb. 85, 39-45
Of crosslinked fracturing fluids: power law fluid model for, (Tech. Paper SPE 9332) SPEJ Dec. 85, 935-942
Surface dilatational: identification of crude oil components responsible for foaming, (Tech. Paper SPE 12342) SPEJ Apr. 85, 171-175
Rock Mechanics
Completions: oil and gas wells; aspects of, (Tech. Paper SPE 8073) SPEJ Dec. 85, 848-856

Rock Properties
Detecting nonuniformities in core samples: test for, (Tech. Paper SPE 12585) SPEJ Dec. 85, 909-916

Rocks
Consolidated: determination of interstitial chloride by precision leaching techniques, (Tech. Paper SPE 12724) SPEJ Oct. 85, 704-710

S

Salt Creek Field
See Wyoming, (Tech. Paper SPE 10313) SPEJ Jun. 85, 371-379

Sand
Gas: low permeability; relation to fluid flow in cracks, (Tech. Paper SPE 11623) SPEJ Apr. 85, 191-201
Reservoir: laboratory study of chemical reactions with; recovery of petroleum by alkaline flooding, (Tech. Paper SPE 12561) SPEJ Aug. 85, 587-593
Unconsolidated and consolidated: effect of temperature on Oil/water relative permeabilities, (Tech. Paper SPE 12116) SPEJ Dec. 85, 945-953

Sand Grains
Specific surface area: effect on in-situ combustion process variables; use of TGA/DSR techniques, (Tech. Paper SPE 11072) SPEJ Oct. 85, 656-664

Sandstone
Cross-bedded reservoir zones: water/oil displacement characteristics, (Tech. Paper SPE 12112) SPEJ Dec. 85, 917-926

Saturation
Effect of variations on waterflooding: stratified reservoirs with crossflow; author's reply to discussion of, (Rebuttal SPE 14692) SPEJ Aug. 85, 614
Effect of variations on waterflooding; stratified reservoirs with crossflow, (Tech. Paper SPE 11495) SPEJ Apr. 85, 291-302
Effect of variations on waterflooding; stratified reservoirs with crossflow; discussion of, (Discussion SPE 14490) SPEJ Aug. 85, 614

Scaling
Affect on mobility weighting in steamflooding model: numerical reservoir simulation, (Tech. Paper SPE 12566) SPEJ Aug. 85, 565-572
Factors: for proper interpretation of field-determined buildup pressure and skin value for simulator use, (Tech. Paper SPE 11759) SPEJ Feb. 85, 125-131

Scavengers
Acrolein: ability to scavenge corrosive hydrogen sulfide: factors contributing to, (Tech. Paper SPE 11749) SPEJ Oct. 85, 647-655

Secondary Recovery
Stability of displacement fronts: porous media; growth of large elliptical fingers, (Tech. Paper SPE 11542) SPEJ Apr. 85, 255-267

Shales
Interstitial chloride determination by precision leaching technique, (Tech. Paper SPE 12724) SPEJ Oct. 85, 704-710
Laboratory drilled: effects of size on three-cone bit performance, (Tech. Paper SPE 11231) SPEJ Aug. 85, 473-481

Shape Factors
For geometric shapes: pressure distributions in; simple approach, (Tech. Paper SPE 10088) SPEJ Feb. 85, 113-120

Silica
Solubility in alkaline solutions: implications for alkaline flooding, (Tech. Paper SPE 12771) SPEJ Dec. 85, 857-864

Simulation
Cation exchange in porous media with broad-equivalent-weight sulfonate micellar fluids, (Tech. Paper SPE 12126) SPEJ Aug. 85, 580-586
Cross-bedded reservoir zones: water/oil displacement characteristics, (Tech. Paper SPE 12112) SPEJ Dec. 85, 917-926
Downhole conditions: effects of size on three-cone bit performance; laboratory drilled shale, (Tech. Paper SPE 11231) SPEJ Aug. 85, 473-481
Fluid loss in hydraulic fracturing: new general model, (Tech. Paper SPE 11625) SPEJ Aug. 85, 491-501
Fracture conditions: improved method for measuring fluid loss, (Tech. Paper SPE 10259) SPEJ Aug. 85, 482-490
Multiphase flow: convergence of upstream collocation; Buckley-Leverett problem, (Tech. Paper SPE 10978) SPEJ Jun. 85, 363-370
Multiphase flow: convergence of upstream collocation; Buckley-Leverett problem; discussion of, (Discussion SPE 14810) SPEJ Dec. 85, 943
Numerical: CO2 flood performance; authors' reply to discussion of, (Rebuttal SPE 13964) SPEJ Apr. 85, 280
Numerical: CO2 flood performance; discussion of, (Discussion SPE 13950) SPEJ Apr. 85, 280
Of naturally fractured reservoirs: an improvement in modeling with a tridimensional, triphasic black-oil numerical model; the 'checker model', (Tech. Paper SPE 10977) SPEJ Oct. 85, 743-756
Oil reservoirs: fully coupled multiblock wells, (Tech. Paper SPE 11877) SPEJ Aug. 85, 535-542

Skin Effect
And storage: unsteady-state spherical flow with, (Tech. Paper SPE 12950) SPEJ Dec. 85, 804-822
Field determined values: and buildup pressure; proper interpretaion for simular use, (Tech. Paper SPE 11759) SPEJ Feb. 85, 125-131
In composite reservoirs: analytical study of interference, (Tech. Paper SPE 10902) SPEJ Apr. 85, 281-290
In pressure transient solutions with storage: Fenske conservation method, (Tech. Paper SPE 12133) SPEJ Jun. 85, 437-444
Influence on wells producing layered reservoirs with crossflow: well test analysis, (Tech. Paper SPE 10262) SPEJ Jun. 85, 380-396

Slug Process
Polymer: laboratory investigations of dynamic stability, (Tech. Paper SPE 10614) SPEJ Feb. 85, 9-13

Slugging
Severe: in offshore pipeline riser-pipe systems, (Tech. Paper SPE 12334) SPEJ Feb. 85, 27-38

Sodium Hypochlorite
In-situ leaching of Crownpoint, New Mexico, uranium ore: laboratory study of strong leaching systems, (Tech. Paper SPE 11436) SPEJ Dec. 85, 875-880

Solubility
Measurement: mobility control of CO2 floods; use of direct thickeners, (Tech. Paper SPE 11789) SPEJ Oct. 85, 679-686
Of silica in alkaline solutions: implications for alkaline flooding, (Tech. Paper SPE 12771) SPEJ Dec. 85, 857-864

Stability
Dynamic: of polymer slugs; laboratory investigations, (Tech. Paper SPE 10614) SPEJ Feb. 85, 9-13

Of borehole and perforations: rock mechanical aspects of oil and gas well completions, (Tech. Paper SPE 8073) SPEJ Dec. 85, 848-856

Of displacement fronts: porous media; growth of large elliptical fingers, (Tech. Paper SPE 11542) SPEJ Apr. 85, 255-267

Steam Injection

General purpose thermal model, (Tech. Paper SPE 11713) SPEJ Apr. 85, 202-214

Mobility weighting in numerical reservoir simulation, (Tech. Paper SPE 12566) SPEJ Aug. 85, 565-572

Stimulation

Design: short, precise hydraulic fractures, (Tech. Paper SPE 10313) SPEJ Jun. 85, 371-379

Storage

And skin: unsteady-state spherical flow with, (Tech. Paper SPE 12950) SPEJ Dec. 85, 804-822

Fenske conservation method for pressure transient solutions, (Tech. Paper SPE 12133) SPEJ Jun. 85, 437-444

Wellbore: in composite reservoirs; analytical study of interference, (Tech. Paper SPE 10902) SPEJ Apr. 85, 281-290

Stratification

Fractured wells producing layered reservoirs: approximate solutions for, (Tech. Paper SPE 11599) SPEJ Oct. 85, 729-742

Of reservoirs: effect of crossflow on waterfloodiing; discussion of, (Discussion SPE 14490) SPEJ Aug. 85, 614

Of reservoirs: effect of crossflow on waterflooding, (Tech. Paper SPE 11495) SPEJ Apr. 85, 291-302

Of reservoirs: effect of crossflow on waterflooding; author's reply to discussion of, (Rebuttal SPE 14692) SPEJ Aug. 85, 614

Reservoir: immiscible gravity-stable gas injection into; analytical and numerical modeling, (Tech. Paper SPE 12158) SPEJ Aug. 85, 554-564

Stresses

Intensity factor: hydraulically induced fractures: bonded half-planes containing two arbitrarily oriented cracks; containment study, (Tech. Paper SPE 11871) SPEJ Feb. 85, 55-66

Thermoelastic: effect on injection well fracturing, (Tech. Paper SPE 11332) SPEJ Feb. 85, 78-88

Sulfonates

Adsorption/desorption by reservoir rock minerals: solutions of varying sulfonate concentrations, (Tech. Paper SPE 10603) SPEJ Jun. 85, 343-350

Broad-equivalent-weight micellar fluids: cation exchange in porous media, (Tech. Paper SPE 12126) SPEJ Aug. 85, 580-586

Ethoxylated oleyl: model compounds for enhanced oil recovery, (Tech. Paper SPE 11771) SPEJ Jun. 85, 351-357

Polyacrylamides in their presence: manual and automated turbidimetric methods for determination of, (Tech. Paper SPE 11784) SPEJ Oct. 85, 687-692

Sulfuric Acid

Oxidant strong leaching systems: in-situ leaching of Crownpoint, New Mexico, uranium ore; laboratory study, (Tech. Paper SPE 11437) SPEJ Dec. 85, 881-885

Surface

Area: sand-grain specific; effect on in-situ combustion process variables; prediction by use of TGA/DSC techniques, (Tech. Paper SPE 11072) SPEJ Oct. 85, 656-664

Surface Facility Network

Application of a reservoir simulator interfaced with: case history, (Tech. Paper SPE 11479) SPEJ Jun. 85, 397-404

Surfactants

Adsorption/desorption of sulfonates by reservoir rock minerals: solutions of varying sulfonate concentrations, (Tech. Paper SPE 10603) SPEJ Jun. 85, 343-350

Crude-oil: identification of components responsible for foaming, (Tech. Paper SPE 12342) SPEJ Apr. 85, 171-175

Oil/brine/alcohol system: thermodynamic modeling, (Tech. Paper SPE 11209) SPEJ Jun. 85, 330-342

Screening: CO2 floods; foamlike dispersions for mobility control, (Tech. Paper SPE 11233) SPEJ Aug. 85, 603-613

T

Tar Sands

Utah: oil recovery in; numerical solution of combined reverse combustion and steamflooding, (Tech. Paper SPE 11159) SPEJ Apr. 85, 227-234

Taxation

Agreement between governments of Alberta and Canada: effect on determination of economic limit for non-EOR projects, (Tech. Paper SPE 11920) SPEJ Dec. 85, 886-892

Reservoir: effect of formation flow on integrity of perforated casing, (Tech. Paper SPE 11123) SPEJ Oct. 85, 637-646

Temperature

Effect on oil/water relative permeabilities: unconsolidated and consolidated sands, (Tech. Paper SPE 12116) SPEJ Dec. 85, 945-953

High: chemical evolution of fracturing fluid, (Tech. Paper SPE 11794) SPEJ Oct. 85, 623-628

Response: of polycrystalline diamond compact cutters under simulated downhole conditions, (Tech. Paper SPE 11947) SPEJ Apr. 85, 143-156

Ternary Diagrams

Of CO2/hydrocarbon systems: thermodynamic modeling of phase and tension behavior, (Tech. Paper SPE 10268) SPEJ Apr. 85, 235-254

Tertiary Recovery

CO2/crude oil displacements: flow visualization, (Tech. Paper SPE 11958) SPEJ Oct. 85, 665-678

Stability of displacement fronts: porous media; growth of large elliptical fingers, (Tech. Paper SPE 11542) SPEJ Apr. 85, 255-267

Testing

Ceramic proppants: fracture conductivity comparison, (Tech. Paper SPE 11634) SPEJ Apr. 85, 157-170

Fluid loss in hydraulic fracturing: new general model, (Tech. Paper SPE 11625) SPEJ Aug. 85, 491-501

Fluid loss measurement at simulated fracture conditions: improved method, (Tech. Paper SPE 10259) SPEJ Aug. 85, 482-490

Fracturing fluid: chemical evolution at high temperature, (Tech. Paper SPE 11794) SPEJ Oct. 85, 623-628

Kinematics of cone bit, (Tech. Paper SPE 10563) SPEJ Jun. 85, 321-329

Laboratory study of strong leaching systems: oxidant/sulfuric acid; in-situ leaching of Crownpoint, New Mexico, uranium ore, (Tech. Paper SPE 11437) SPEJ Dec. 85, 881-885

Laboratory study of strong leaching systems: sodium hypochlorite; in-situ leaching of Crownpoint, New Mexico, uranium ore, (Tech. Paper SPE 11436) SPEJ Dec. 85, 875-880

Of correlation for impure C02 streams and live oil systems: CO2 minimum miscibility pressure, (Tech. Paper SPE 11959) SPEJ Apr. 85, 268-274

Pressure drawdown: effects of external boundaries on recognition of reservoir pinchouts, (Tech. Paper SPE 11141) SPEJ Jun. 85, 427-436

Pressure transients: analysis in an elongated linear flow system, (Tech. Paper SPE 12520) SPEJ Dec. 85, 839-847

Propagating hydraulic fracture: measurement of width and pressure in, (Tech. Paper SPE 11648) SPEJ Feb. 85, 46-54

Storage and skin effects: unsteady-state spherical flow, (Tech. Paper SPE 12950) SPEJ Dec. 85, 804-822

Three-cone bit: effects of size on performance in laboratory drilled shale, (Tech. Paper SPE 11231) SPEJ Aug. 85, 473-481

To detect rock property nonuniformities in core samples, (Tech. Paper SPE 12585) SPEJ Dec. 85, 909-916

Vertical interference: across low-permeability zones; analytical method, (Tech. Paper SPE 11965) SPEJ Jun. 85, 407-418

Wells producing layered reservoirs with crossflow: well test analysis, (Tech. Paper SPE 10262) SPEJ Jun. 85, 380-396

Tetrachloroethylene

Modeling of quaternary system: oil/brine/surfactant/alcohol, (Tech. Paper SPE 11209) SPEJ Jun. 85, 330-342

Texas

Fracturing fluid, high-temperature: chemical evolution of, (Tech. Paper SPE 11794) SPEJ Oct. 85, 623-628

San Andres reservoir: CO2 flood performance; numerical simulation; authors' reply to discussion of, (Rebuttal SPE 13964) SPEJ Apr. 85, 280

San Andres reservoir: CO2 flood performance; numerical simulation; discussion of, (Discussion SPE 13950) SPEJ Apr. 85, 280

Thermal Recovery of Oil

In-situ combustion: in naturally fractured heavy oil reservoirs, (Tech. Paper SPE 10723) SPEJ Feb. 85, 67-77

In-situ combustion: prediction of process variables by use of TGA/DSC techniques: effect of sand-grain specific surface area on process, (Tech. Paper SPE 11072) SPEJ Oct. 85, 656-664

Reverse combustion and steamflooding combined: numerical simulation of; oil recovery in Utah tar sand, (Tech. Paper SPE 11159) SPEJ Apr. 85, 227-234

Steamflooding: mobility weighting in steamflooding model: numerical reservoir simulation, (Tech. Paper SPE 12566) SPEJ Aug. 85, 565-572

Thermodynamics

Modeling of phase partitioning of amphiphilic species: microemulsion phase behavior, (Tech. Paper SPE 12586) SPEJ Oct. 85, 693-703

Modeling: of phase and tension behavior; CO2/hydrocarbon systems, (Tech. Paper SPE 10268) SPEJ Apr. 85, 235-254

Properties: in general purpose compositional model, (Tech. Paper SPE 10515) SPEJ Aug. 85, 543-553

Thermogravimetric Analysis

And DSC techniques: use in prediction of in-situ combustion process variables; effect of sand-grain specific surface area on process, (Tech. Paper SPE 11072) SPEJ Oct. 85, 656-664

Thickeners

Direct: for mobility control of CO2 floods, (Tech. Paper SPE 11789) SPEJ Oct. 85, 679-686

Transformations

Curvilinear coordinate: for reservoir simulation, (Tech. Paper SPE 12253) SPEJ Dec. 85, 893-901

Transient Flow

Pressure analysis in an elongated linear system, (Tech. Paper SPE 12520) SPEJ Dec. 85, 839-847

Transition Zone

Miscible-immiscible: CO2 flood performance; numerical simulation; authors' reply to discussion of, (Rebuttal SPE 13964) SPEJ Apr. 85, 280

Miscible-immiscible: CO2 flood performance; numerical simulation; discussion of, (Discussion SPE 13950) SPEJ Apr. 85, 280

Transports

Of miscible fluids: in presence of second immiscible phase; some surprises, (Tech. Paper SPE 12125) SPEJ Feb. 85, 101-112

Turbidimetric Methods

Manual and automated: determination of polyacrylamides in presence of sulfonates, (Tech. Paper SPE 11784) SPEJ Oct. 85, 687-692

Type Curves

For elongated linear flow system: pressure transient analysis, (Tech. Paper SPE 12520) SPEJ Dec. 85, 839-847

For finite radial and linear gas-flow systems: constant-terminal-pressure case, (Tech. Paper SPE 12917) SPEJ Oct. 85, 719-728

Unsteady-state spherical flow with storage and skin, (Tech. Paper SPE 12950) SPEJ Dec. 85, 804-822

U

Uncertainity

Effect on wave force coefficients for offshore structures, (Tech. Paper SPE 7217) SPEJ Oct. 85, 757-764

Upstream Weighting

Generalized: use to reduce grid orientation effects in reservoir simulation, (Tech. Paper SPE 11593) SPEJ Dec. 85, 902-908

Uranium

In-situ: laboratory study of strong systems, oxidant/sulfuric acid; Crownpoint, New Mexico, uranium ore, (Tech. Paper SPE 11437) SPEJ Dec. 85, 881-885

Ore: in-situ leaching; Crownpoint, New Mexico; laboratory study of strong leaching systems, oxidant/sulfuric acid, (Tech. Paper SPE 11437) SPEJ Dec. 85, 881-885

Ore: in-situ leaching; Crownpoint, New Mexico; laboratory study of strong leaching systems, sodium hypochlorite, (Tech. Paper SPE 11436) SPEJ Dec. 85, 875-880

Utah

Northwest Asphalt Ridge tar sand: oil recovery in; numerical solution of combined reverse combustion and steamflooding, (Tech. Paper SPE 11159) SPEJ Apr. 85, 227-234

V

Vectors

Computer: efficiency of D4 Gaussian elimination on, (Tech. Paper SPE 11082) SPEJ Feb. 85, 121-124

Performance of supercomputers in reservoir simulation, (Tech. Paper SPE 10520) SPEJ Apr. 85, 275-279

Velocity

Steady- and unsteady-state: in porous media; new approach to instability, (Tech. Paper SPE 12725) SPEJ Oct. 85, 765-779

Viscosity

Apparent: in smooth capillaries; mechanisms of foam flow in porous media, (Tech. Paper SPE 12129) SPEJ Apr. 85, 176-190

W

Water

Hot injection: general purpose thermal model, (Tech. Paper SPE 11713) SPEJ Apr. 85, 202-214

Oil displacement: characteristics in cross-bedded reservoir zones, (Tech. Paper SPE 12112) SPEJ Dec. 85, 917-926

Oil relative permeabilities: effect of temperature; unconsolidated and consolidated sands, (Tech. Paper SPE 12116) SPEJ Dec. 85, 945-953

Production: economic limit; determination for non-EOR projects in Alberta, (Tech. Paper SPE 11920) SPEJ Dec. 85, 886-892

Waterflooding

Areal problem: curvilinear coordinate systems for reservoir simulation, (Tech. Paper SPE 12253) SPEJ Dec. 85, 893-901

Corrosive hydrogen sulfide: factors contributing to ability of acrolein to scavenge, (Tech. Paper SPE 11749) SPEJ Oct. 85, 647-655

Economic limit: determination for non-EOR projects in Alberta, (Tech. Paper SPE 11920) SPEJ Dec. 85, 886-892

Of stratified reservoirs: effect of crossflow, (Tech. Paper SPE 11495) SPEJ Apr. 85, 291-302

Of stratified reservoirs: effect of crossflow; author's reply to discussion of, (Rebuttal SPE 14692) SPEJ Aug. 85, 614

Of stratified reservoirs: effect of crossflow; discussion of, (Discussion SPE 14490) SPEJ Aug. 85, 614

Piston flow: reduction of grid orientation effects: reservoir simulation using generalized upstream weighting, (Tech. Paper SPE 11593) SPEJ Dec. 85, 902-908

Wave Height

Force coefficients for offshore structures: effect of uncertainty, (Tech. Paper SPE 7217) SPEJ Oct. 85, 757-764

Welge's Method

Of shock front location: modification in Buckley-Leverett problem for nonzero initial condition, (Tech. Paper SPE 12231) SPEJ Aug. 85, 521-523

Well Completion

Oil and gas: rock-mechanical aspects, (Tech. Paper SPE 8073) SPEJ Dec. 85, 848-856

Well Logging

Litho-density tool calibration, (Tech. Paper SPE 12048) SPEJ Aug. 85, 515-520

Well Logs

Wireline: use to characterize a geothermal reservoirs: Cerro Prieto case history, (Tech. Paper SPE 12739) SPEJ Dec. 85, 793-803

Well Pattern

Geometric shapes: simple approach to pressure distribution, (Tech. Paper SPE 10088) SPEJ Feb. 85, 113-120

Wire Line

Logs: use to characterize a geothermal reservoir; Cerro Prieto characterize a geothermal reservoir, (Tech. Paper SPE 12739) SPEJ Dec. 85, 793-803

Wyoming

Oilfield brines: factors contributing ability to acrolein to scavenge corrosive hydrogen sulfide, (Tech. Paper SPE 11749) SPEJ Oct. 85, 647-655

Salt Creek field: stimulation design for short, precise hydraulic fractures, (Tech. Paper SPE 10313) SPEJ Jun. 85, 371-379

X

Xanthan Gum

High-pyruvate for EOR, (Tech. Paper SPE 10617) SPEJ Aug. 85, 594-602